

LIGHTHOUSE FOR BLIND -- CORRECTION FLUID

=====  
MSDS Safety Information  
=====

FSC: 7510  
NIIN: 01-020-2806  
MSDS Date: 01/01/1993  
MSDS Num: BKHTQ  
Product ID: CORRECTION FLUID  
MFN: 01  
Responsible Party  
Cage: 1A864  
Name: LIGHTHOUSE FOR THE BLIND  
Address: 10440 TRENTON AVENUE  
City: ST. LOUIS MO 63132

Info Phone Number: 314-423-4333  
Emergency Phone Number: 314-423-4333  
Preparer's Name: RUDOLF OPPENHEIM  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 1A864  
Name: LIGHTHOUSE FOR THE BLIND INC  
Address: 10440 TRENTON AVE  
City: ST. LOUIS MO 63132-1223

=====  
Contractor Summary  
=====

Cage: 1A864  
Name: LIGHTHOUSE FOR THE BLIND INC  
Address: 10440 TRENTON AVE  
City: ST. LOUIS MO 63132-1223  
Phone: 314-423-0139

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: CORRECTION FLUID, OPAQUE COATING  
Specification Number: A-A-212  
Unit of Issue: DZ  
UI Container Qty: 0  
Type of Container: BOTTLE  
=====

=====

Ingredients

=====

Cas: 107-21-1  
RTECS #: KW2975000  
Name: ETHYLENE GLYCOL, GLYCOL  
% Wt: 3  
Other REC Limits: 10 MG/CUM  
ACGIH TLV: C 127 MG/CUM  
EPA Rpt Qty: 1 LB  
DOT Rpt Qty: 1 LB

-----

Cas: 7732-18-5  
RTECS #: ZC0110000  
Name: WATER, H2O  
% Wt: 18.27%

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: NO

Skin: NO  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO

Effects of Exposure: SKIN: IRRITATION.  
Explanation Of Carcinogenicity: NONE  
First Aid: SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS.  
INGESTION: GIVE LARGE AMOUNTS OF WATER OR MILK. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Handling and Disposal

=====

Spill Release Procedures: PICK UP SPILLAGE W/ABSORBANT MATERIAL.  
Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.  
Handling And Storage Precautions: STORE IN DRY, COOL PLACE. KEEP OUT OF REACH OF CHILDREN. AVOID EXTREME TEMPERATURES.  
Other Precautions: DON'T INGEST. AVOID EYE & SKIN CONTACT.

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: WATER, CO2, FOAM

=====

=====  
Control Measures  
=====

Supplemental Safety and Health: LBS PER GALLON DENSITY: 14.7 LBS/GAL.  
=====

Physical/Chemical Properties  
=====

M.P/F.P Text: 32F/0C

Spec Gravity: 1.71

PH: 8

Evaporation Rate & Reference: (BU AC = 1): >1

Solubility in Water: COMPLETE

Appearance and Odor: WHITE OPAQUE LIQUID W/AMINE OD  
OR

Percent Volatiles by Volume: 56  
=====

Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT & TEMPERATURES

Hazardous Polymerization Indicator: NO  
=====

Toxicological Information  
=====

Ecological Informat  
ion  
=====

MSDS Transport Information  
=====

Regulatory Information  
=====

Other Information  
=====

=====  
HAZCOM Label  
=====

Product ID: CORRECTION FLUID

Cage: 1A864

Company Name: LIGHTHOUSE FOR THE BLIND INC

Street: 10440 TRENTON AVE

City: ST. LOUIS MO

Zipcode: 63132-1223

Health Emergency Phone: 314-423-4333

Label Required IND: Y

Date Of Label Review: 06/17/1993

Status Code: C

Label Date: 06/17/1993

Origination Code: F

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: SKIN: IRRITATION. TARGET ORGANS:  
EYES, SKIN, LIVER, KIDNEYS, RESPIRATORY & DIGESTIVE TRACTS, HEART.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use

or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless  
of similarity to a corresponding Department  
of Defense or other government situation.