View NSN Online: https://aerobasegroup.de/nsn/9150-00-231-6662

EXXON CO USA, A DIV OF EXXON CORP. -- 200 SOL EXT COASTAL PALE -- 9150-00-231-6662

Product ID:200 SOL EXT COASTAL PALE MSDS Date:06/01/1989 FSC:9150 NIIN:00-231-6662 **MSDS Number: BKJHG** === Responsible Party === Company Name: EXXON CO USA, A DIV OF EXXON CORP. Address:800 BELL ST Box:2180 **City:HOUSTON** State:TX ZIP:77252-2180 Country:US Info Phone Num:713-656-2443 Е mergency Phone Num:713-656-3424 CAGE:29700 === Contractor Identification === Company Name: EXXON COMPANY U.S.A. Box:2180 City:HOUSTON State:TX ZIP:77252-2180 Country:US Phone:713-656-5949 / 713-656-3424 CAGE:29700 Company Name: VINELAND WAX SPECIALTIES INC WAX PROCESSING Address:S RAILROAD BLVD Box:City:MINOTOLA State:NJ ZIP:08341 Country:US Phone:609-697-3941 (OUT OF BUSINESS) CAGE:63400

Ingred Name:SOLVENT REFINED HEAVY NAPHT

HENIC DISTILLATE, PETROLEUM CAS:64741-96-4 RTECS #:PY8040000 Fraction by Wt: >90% Other REC Limits:NONE SPECIFIED

Ingred Name: PROPRIETARY ADDITIVES Fraction by Wt: 5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYE:MAY CAUSE IRRITATION.SKIN:PROLONGED/REPEATED SKIN CONTACT TENDS TO REMOVE SKIN OILS AND CAUSE IRRITATION. PRODUCT HAS A LOW ORDER OF ACUTE ORAL AND DERMAL TOXIC ITY, BUT MINUTE AMOUNTS ASPIRATE D INTO THE LUNGS DURING INGESTION OR VOMITING MAY CAUSE LUNG INJURY & POSSIBLY DEATH. Explanation of Carcinogenicity: THE PRODUCT IS FORMULATED FROM BASE STOCKS WHICH ARE SEVERELY/MILD HYDROTREATED, SEVERELY SOLVENT **EXTRACTED** Effects of Overexposure: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION.SEE HEALTH HAZARDS SECTION. Medical Cond Aggravated by Exposure:NON RECOGNIZED.

First Aid:INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.GET MEDICAL ATTENTION.EYE:FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES.IF IRRITATION PERSISTS,CALL A PHYSICIAN.SKIN:REMOVE ANY CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH SOAP & WATER.INGESTION:DO NOT INDUCE VOMITING.CALL A PHYSICIAN IMMEDIATELY.

Flash Point Method:COC Flash Point:370F,188C Autoignition Temp:Autoignition Temp Text:>500F Lower Limits:0.9 Upper Limits:7 Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL AND VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS. Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED/CONFINED SPACES WHEN FIGHTING FIRE OF THIS PRODUCT.USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:FUMES,SMOKE,CARBON MONOXIDE,SULFUR OXIDES,ALDEHYDES AND OTHER DECOMPOSITION PRODUCTS Spill Release Procedures:RECOVER FREE PRODUCT.ADD SAND,EARTH OR OTHER SUITABLE ABSORBENT TO SPILL AREA.MINIMIZE BREATHING VAPORS.MINIMIZE SKIN CONTACT.OPEN ALL WINDOWS & DOORS.KEEP PRODUCT OUT OF SEWERS AND WATERCOURSES BY DI KING OR IMPOUNDING,OTHERWISE CALL AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storag

e Precautions:STORE IN A COOL,DRY PLACE WITH

ADEQUATE VENTILATION.KEEP AWAY FROM OPEN FLAMES, HIGH TEMPERATURES AND STRONG OXIDANTS.

Other Precautions:MINIMIZE BREATHING VAPOR,MIST OR FUMES.AVOID PROLONGED/REPEATED SKIN CONTACT.LAUNDER/DRY-CLEAN CONTAMINATED CLOTHING BEFORE RE-USE.REMOVE & CLEAN CONTAMINATED SHOES BEFORE RE-USE.PRODUCT IS READILY RE MOVED FROM SKIN BY WATERLESS CLEANERS.

Respiratory Protect ion: USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED. Ventilation: USE LOCAL EXHAUST TO CAPTURE VAPOR, MISTS OR FUMES, IF NECESSARY. Protective Gloves: CHEMICAL RESISTANT GLOVES Eye Protection: SPLASH GOGGLES OR FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.CHEMICAL-RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED **CLOTHING OR** FOOTWEAR. Supplemental Safety and Health "EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS.DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY OR OTHER SOURCES OF IGNITIO N;THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.DO NOT CLEAN THEM.

HCC:V6 Boiling Pt:B.P. Text:480F,249C Melt/Freeze Pt:M.P/F.P Text:10F,-12C Vapor Pres:5 Sp ec Gravity:0.89 pH:NEUTR. Evaporation Rate & Reference: