

SHELL OIL COMPANY -- DIALA(R) A OIL, 68701, 69701, 68744 -- 9160-00-685-0914

===== Product Identification =====

Product ID:DIALA(R) A OIL, 68701, 69701, 68744

MSDS Date:02/23/1993

FSC:9160

NIIN:00-685-0914

MSDS Number: BKJNG

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

/4141/2252 FAX -6511

Emergency Phone Num:713-473-9461/800-424-9300(CHEMTREC)

Preparer's Name:G. A. VAN GELDER

CAGE:54527

=== Contractor Identification ===

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

Company Name:SHELL OIL COMPANY

Address:Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

Company Name:TULSTAR PRODUCTS INC

Address:1722 S CARSON, SUITE 2907

Box:City:TULSA

State:OK

Z

IP:74119  
Country:US  
Phone:918-587-7878/FAX -3297 (DAVID COOK)  
CAGE:0F2M5  
Company Name:UNIMARK OIL COMPANY (FORMERLY GARD OIL)  
Address:2727 ROE LANE  
City:KANSAS CITY  
State:KS  
ZIP:66103-1543  
Country:US  
Phone:913-236-5000; FX 913-236-4419  
CAGE:3K676

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENT REFINED, HYDROTREATED MIDDLE DISTILLATE  
CAS:64742-46-7  
RTECS #:JN9379645  
Fraction by Wt: 50-100%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SEVERELY HYDROTREA  
TED LIGHT NAPHTHENIC DISTILLATES  
CAS:64742-53-6  
RTECS #:PY8036000  
Fraction by Wt: 0-50%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:HEALTH EFFECTS BASED ON ESSENTIALLY  
SIMILAR PRODUCT TESTING:EYES:NON-IRRIT.SKIN:SLIGHTLY  
IRRIT.PRLON  
/REPEAT COTNACT RESULT IN VAR  
DISORDERS(DERM,FOLLICULITIS,OIL ACNE).RELEASE DURING HI PRESSURE  
USAGE MAY RESULT IN INJECTIN OF OIL INTO SKIN CAUSING LOCAL  
NECROSIS.INHAL:VAP/MIST MILD IRRIT OF UPPER RESP TRACT.(SUPPLEME)  
Explanation of Carcinogenicity:PER MSDS:PROD & COMPONENTS ARE NOT  
CLASSIFIED AS CARCINOGENS BY IARC/NTP/OSHA.  
Effects of Overexposure:EYE/SKIN/UPPER RESP TRACT IRRITATION.  
ASPIRATION PNEUMONITIS MAY BE EVIDENCED BY COUGHING, LABORED  
BREATHING & CYANOSIS

(BLuish SKIN); SEVERE CASES DEATH MAY OCCUR.

LOCAL NECROSIS IS EVIDENCE BY DELAY ED ONSET OF PAIN & TISSUE  
DAMAGE A FEW HOURS FOLLOWING INJECTION.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & RESPIRATORY  
DISORDERS MAY BE AGGRAVATED BY EXPOUSRE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER.SKIN:REMOVE CONTAMIN CLOTH/SHOES.WIPE  
EXCESS FROM SKIN.FLUSH W/WATER FOLLOWED BY WASHING W/SOAP/WATER.IF  
MAT

L INJECTED UNDER SKIN GET MED ATTN IMMED.INHAL:REMOVE TO FRESH  
AIR.PROVID E OXY IF BREATH DIFFI.INGEST:DO NOT INDUCE VOMIT.IF  
OCCURS SPONTANEOUSLY KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF  
LIQ INTO LUNGS. IN ALL CASES GET MED ATTN. DR:EMESIS SHOULD BE  
INDUCED (SUPPLEME)

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:280F,138C

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT  
USE DIRECT STREAM O

F WATER. PROD WILL FLOAT & REIGN ON SURFACE OF  
WATER

Fire Fighting Procedures:MATL WILL NOT BURN UNLESS PREHEATED.DO NOT  
ENTER CONFINED FIRESpace W/O FULL BUNKER  
GEAR(HELMET/FACESHIELD/COATS/GLOVES/BOOTS)PLUS +PRESS NIOSH  
APPROVED SCBA.

Unusual Fire/Explosion Hazard:COOL FIRE EXPOSED CONTAINERS WITH WATER.

===== Accidental Release Measures =====

Spill Release Procedures:MAY BURN BUT NOT READILY IGN.USE CAUTIOUS  
JUDGEMENT WHEN CLEANING UP.WEAR RES

P/PROT CLOTH AS APPROPRIATE.SHUT  
OFF LEAK W/O RISK.DIKE/CONTAIN.REMOVE W/VACUUM TKS/PUMP TO STORAGE  
SALVAGE VESS.SOAKUP RES IDUE  
W/ABSORBENT(CLAY,SAND,OTHER),FLUSHW/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE W/ADEQUATE  
VENTILATION.KEEP AWAY FROM OPEN FLAMES & HIGH TEMPS.BE SAFE.READ  
SAFETY INFO & PASS IT ON.

Other Precautions:PRODUCT CONTAINS NO DETECTABLE LEVELS(2.0ML/KG & NOT  
VOMI

TED.IF SYMPT SUCH AS LOSS OF G AG REFLEX,CONVULSIONS,UNCONC  
OCCUR BEFORE EMESIS GASTRIC LAVAGE USING CUFFED ENDOTRACEAL TUBE  
SHOULD BE CONSIDERED.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F,>204C

Melt/Freeze Pt:M.P/F.P Text:-40F,POU PT

Spec Gravity:0.8893

Viscosity:12CST @104F

Evaporation Rate & Reference:NOT AVAILABLE

Appearance and Odor:WHITE LIQUID, SLIGHT HYDROCARBON ODOR.

===== Stability and Reactivity D

ata =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS.

Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES.

Hazardous Decomposition Products:HIGHLY DEPENDENT ON COMBUST  
CONDITIONS.COMPLEX MIXTURE OF AIRBONRE SOL/LIQ/PARTICU/GAS WILL  
EVOLVE FROM PYROLYSIS/COMBUS

===== Disposal Considerations =====

Waste Disposal Methods:NONE SPECIFIED BY MFG. HOWEVER DISPOSE OF  
PRODUCT IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AN  
D FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information  
to their  
particular situation.