

VISILOX SYSTEMS INC. -- V-658 B -- 8030-01-324-1309

===== Product Identification =====

Product ID:V-658 B
MSDS Date:03/02/1990
FSC:8030
NIIN:01-324-1309
Kit Part:Y
MSDS Number: BKJWY
=== Responsible Party ===
Company Name:VISILOX SYSTEMS INC.
Address:RD #5
Box:116
City:TROY
State:NY
ZIP:12180
Country:US
Info Phone Num:518-283-5963
Emergency Phone Num:518-283-5963
Preparer's Name:MARK WOLOSEN
CAGE
:64101

=== Contractor Identification ===

Company Name:VISILOX SYSTEMS INC
Address:RT 355 SICHIO DR RR 1
Box:1344
City:POESTENKILL
State:NY
ZIP:12140
Country:US
Phone:800-423-9993
CAGE:64101

===== Composition/Information on Ingredients =====

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:MAY CAUSE TEMPORARY DISCOMFORT TO EYES
OR SKIN

===== First Aid Measures =====

First Aid: EYES: FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN. INGESTION: RINSE MOUTH WITH WATER SEVERAL TIMES AND CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method: PMCC

Flash Point: 205F, 96C

Extinguishing Media: CO₂, DRY CHEMICAL, SAND, HALON.

Fire Fighting Procedures:

SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING IS RECOMMENDED.

Unusual Fire/Explosion Hazard: IRRITATING AND/OR TOXIC GASES & AEROSOLS FROM DECOMP/COMBUST PRODUCTS MAY BE PRESENT. IF WATER IS USED AS AN EXTINGUISHING MEDIA, HYDROGEN GAS CAN BE EVOLVED.

===== Accidental Release Measures =====

Spill Release Procedures: WIPE OR SCRAPE UP AND PUT IN CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions: STORE BELOW 80 F TO MAINTAIN SHELF LIFE. USE REASONABLE CARE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE REQUIRED.

Ventilation: LOCAL EXHAUST-NOT REQUIRED. MECHANICAL-RECOMMENDED.

Protective Gloves: RUBBER GLOVES RECOMMENDED.

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: EYE WASH.

Supplemental Safety and Health

THIS IS A FLAMMABLE GAS.

===== Physical/Chemical Properties =====

ies =====

Boiling Pt:B.P. Text:250F,121C

Vapor Pres:25C >1MMHG

Spec Gravity:1.12

pH:N/E

Evaporation Rate & Reference: