

ZIEBART INTERNATIONAL CORP -- XL5-G RUST PREVENTATIVE -- 8030-01-127-3684

=====
Product Identification
=====

Product ID:XL5-G RUST PREVENTATIVE

MSDS Date:01/18/1991

FSC:8030

NIIN:01-127-3684

MSDS Number: BKLLY

=== Responsible Party ===

Company Name:ZIEBART INTERNATIONAL CORP

Address:26300 CAPITOL AVE

City:RADFORD

State:MI

ZIP:48239

Country:US

Info Phone Num:313-937-0710

Emergency Phone Num:313-93

7-9718 /800-424-9300 CHEMTREC

Preparer's Name:FRANK HUSSEY

CAGE:DO768

=== Contractor Identification ===

Company Name:ZEP MANUFACTURING COMPANY

Address:1310 SEABOARD INDUSTRIAL BLVD NW

Box:2015

City:ATLANTA

State:GA

ZIP:30318

Country:US

Phone:877-428-9937

CAGE:27674

Company Name:ZIEBART INTERNATIONAL CORP ZIEBART PROD

Address:26500 CAPITOL AVENUE

Box:1290

City:REDFORD

State:MI

ZIP:48239

Phone:800-424-9300 CHEMTREC

CAGE:DO768

=====
Composition/Information on Ingredients
=====

I

ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Fraction by Wt: 3%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 35%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Ingred Name:NUISANCE DUST-BALANCE OF PRODUCT IS CLASSIFIED BY ACGIH AS
NON-TOXIC OR NUISANCE DUST

Fraction by Wt: BALANCE

Other REC Limits:NONE SPECIFI

ED

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-SYMPTOMS RANGE FROM MILD
DEPRESSION TO CONVULSIONS AND LOSS OF CONSCIOUSNESS. SKIN CONTACT
CAUSES IRRITATION. CHRONIC-SKIN CONTACT CAUSES IRRITATION,
DEFATTING AND DERMATITIS. INHALATION SYMPTOMS AS ABOVE.

Medical Cond Aggravated by Exposure:SKIN, LIVER, KIDNEY AND CNS
DISORDERS.

=====
First Aid
=====

Measures

First Aid:INHALE: REMOVE TO FRESH AIR, GIVE OXYGEN, CONTACT PHYSICIAN.
EYES: FLUSH WITH WATER, CONTACT PHYSICIAN. SKIN: REMOVE
CONTAMINATED CLOTHING, WASH WITH WATER. INGEST: DO NOT INDUCE
VOMITING, CONTACT PHY SICIAN, GIVE WHITE MINERAL OIL.

=====
Fire Fighting Measures
=====

Flash Point:101F,38C

Autoignition Temp:Autoignition Temp Text:800F

Lower Limits:0.8

Upper Limits:6.0

Extinguishing Media:FOAM, CO2, DRY CHE

MICAL, WATER.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS. REMOVE ALL SOURCES OF IGNITION.

Unusual Fire/Explosion Hazard:PETROLEUM DISTILLATES ARE A FIRE AND EXPLOSION HAZARD. VAPORS CAN FLOW TO DISTANT IGNITION SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION, PROVIDE ADEQUATE VENTILATION, ABSORB WITH VERMICULITE OR OTHER ABSORBENT. SPILLED MATERIAL IS HAZARDOUS WASTE.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION.

Other Precautions:PREVENT SKIN CONTACT AND AVOID BREATHING VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE AIR PURIFYING RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE AT >TLV. USE SCBA AT >10 TIMES THE TLV.

Ventilation:LOCAL EXHAUST RECOMMENDED. MAINTAIN ADEQUATE TRANSFER VEL

OCITY TO PREVENT EXPLOSIVE CONCENTRATIONS. ELIM IGNITE SOURCES.

Protective Gloves:USE BUNA N RUBBER GLOVES.

Eye Protection:GOGGLES OR FACESHIELD RECOMMENDED.

Other Protective Equipment:BUNA N RUBBER APRON.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:>350F,>177C

Vapor Pres:10

Vapor Density:4.8

Spec Gravity:0.888

Evaporation Rate & Reference:0.2 (BU AC=1)

Solubility in Water:SLIGHT

Appearance and Odor:BLACK L

IQUID

Percent Volatiles by Volume:57

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS. NON-CORROSIVE TO METALS.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS EPA HAZARDOUS WASTE #D001 BY
INCINERATION OR STABILIZATION AT AN EPA LICENSED FACILITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.