View NSN Online: https://aerobasegroup.com/nsn/8040-01-163-3481

DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP -- EA 9309.3 NA PART A -- 8040-01-163-3481

Product ID:EA 9309.3 NA PART A MSDS Date:11/21/1990 FSC:8040 NIIN:01-163-3481 Kit Part:Y MSDS Number: BKLMC === Responsible Party === Company Name: DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP Address:2850 WILLOW PASS ROAD Box:312 City:PITTSBURG State:CA ZIP:94565-3237 Country :US Info Phone Num:510-458-8000 Emergency Phone Num:510-458-8000 CAGE:33564 === Contractor Identification === **Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS** Address:2850 WILLOW PASS ROAD Box:312 **City:BAY POINT** State:CA ZIP:94565-3299 Country:US Phone:202-483-7616 CAGE:33564

Ingred Name: EPOXY RESIN SYSTEM Other REC Limits: NONE SPECIFIED

Ingred Name:SILICA CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: < 07% Oth er REC Limits:NONE SPECIFIED OSHA PEL:20 MPPCF ACGIH TLV:0.1 MG/M3

Ingred Name:VOC: < 10 G/L (ESTIMATE) RTECS #:9999999VO Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND POSSIBLE ALLERGIC REACTIONS. PROLONGED AND REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WIL L RESULT IN ALLERGIC REACTIONS. Effects of Overexposure:SKIN RASH, IRRITATION.

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN THOUROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF IRRIT ATION PERSIST, SEE PHYSICIAN.

Flash Point Method:TOC

Fla

sh Point:>300F,>149C

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard: DENSE SMOKE AND TOXIC GASES MAY BE LIBERATED.

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIP

E UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS.

Handling and Storage Precautions: KEEP COOL IN ACCORDANCE WITH LABEL INSTRUCTION. FOLLOW RECOMMENDED CURING SCHEDULE. STORE AT ROOM TEMPERATURE (77F) FOR 12 MONTHS.

Other Precautions:\*SURFACES TO BE BONDED. FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE HEAT BUILD-UP WITH THE RELEASE OF TOXIC GASES.

Respiratory Protection:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATION. Ventilation:LOCAL EXHAUST RECOMMENDED. Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER. Eye Protection:SAFETY GLASSES OR GOGGLES. Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING. Supplemental Safety and Health KEY1:N1.

HCC:V5 Boiling Pt:B.P. Text:DECOMPOSES Vapor Pres:NIL Vapor Density:NIL Spec Gravity:> 1 Evaporation Rate & amp; Reference:NIL Solubility in Water:NIL Appearance and Odor:VISCOUS PINK PASTE WITH SLIGHT ODOR Percent Volatiles by Volume:NA

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS. Stability Condition to Avoid:NA Hazardous Decomposition Products:CO, NO2, ALDEHYDES, ACIDS AND UNDETERMINED ORGANICS. Conditions to Avoid Polymerization:AVOID MIX RESI

## N/CURING AGENT IN BATCHES GREATER THAN 1 LB TOTAL. DO NOT HEAT MIXED ADHESIVE ABOVE 100F UNLESS CURING \*

Waste Disposal Methods: DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoeve r,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.