

SAVIN CORP. -- 850/895/760/790 TONER -- 6850-01-207-3930

===== Product Identification =====

Product ID:850/895/760/790 TONER  
MSDS Date:01/06/1987  
FSC:6850  
NIIN:01-207-3930  
MSDS Number: BKLMJ  
=== Responsible Party ===  
Company Name:SAVIN CORP.  
Address:9 WEST BROAD STREET  
Box:12070  
City:STAMFORD  
State:CT  
ZIP:06904-2270  
Country:US  
Info Phone Num:301-921-8503  
Emergency Phone Num:301-921-8503  
CAGE:29382

=== Contractor Identification ===

Company Name:MCKENDREE W I CO  
Address:4210 COLLEY AVE  
Box:6223  
City:NORFOLK  
State:VA  
ZIP:23508-2508  
Country:US  
CAGE:7E267  
Company Name:SAVIN CORP.  
Address:9 WEST BROAD STREET  
Box:12070  
City:STAMFORD  
State:CT  
ZIP:06904-2270  
Country:US  
Phone:203-967-5000  
CAGE:29382

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED HEAVY NAPHTHA  
CAS:64742-48-9  
Fraction by Wt: 90%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ACRYLIC RES

INS (CAS NUMBER CONFIDENTIAL)

Fraction by Wt: 6%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE ORAL TOXICITY: GREATER THAN 6  
G/KG BODYWEIGHT. SKIN IRRITATION

(RABBIT): NOT IRRITANT.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT A CARCINOGEN.

Effects of Overexposure:HIGH VAPOR CONCENTRATIONS (GREATER THAN  
APPROXIMATELY 1000 PPM) ARE IRRITATIVE TO THE EYES AND THE  
RESPIRATORY TRACT, MAY CAUSE HEADACHES AND DIZZINESS, ARE  
ANESTHETIC, AND MAY HAVE OTHER CENTRAL NERVOUS SYSTEM EFFECTS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE-F

LUSH WITH CLEAR WATER FOR 15 MINUTES OR UNTIL IRRITATION  
RESIDES. SKIN-REMOVE CONTAMINATED CLOTHING & WASH SKIN THOROUGHLY  
WITH SOAP & WATER. INHALE-REMOVE FROM EXPOSURE & CALL A PHYSICIAN  
IMMEDIATELY. INGEST-DO NOT INDUCE VOMITING; CALL A PHYSICIAN  
IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:106F,41C

Lower Limits:0.7

Upper Limits:6.5

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEM

ICAL.

Fire Fighting Procedures:USE WATER SPRAY TO DISPERSE VAPORS & TO FLUSH SPILLS AWAY FROM EXPOSURE. USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED AREAS.

Unusual Fire/Explosion Hazard:MINIMIZE BREATHING GASES, VAPORS, FUMES OR DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF & ELIMINATE IGNITION SOURCES. RECOVER FREE PRODUCT. ADD SAND, EARTH OR ABSORBENT TO SPILL AREA. MINIMIZE BREATHING VAPORS & SKIN CONTACT. OPEN ALL WINDOWS/DOORS. KEEP PRODUCT OUT OF SEWERS/WATER BY DIKING OR IMPOUNDING.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAMES SPARKS. KEEP OUT OF REACH OF CHILDREN.  
Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURE OR EXPOSURE SUCH CONTAINER TO HEAT, FLAME, ETC. THEY MAY EXPLODE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED UNDER NORMAL USE CONDITION.  
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.  
Protective Gloves:NONE NEEDED UNDER NORMAL USE CONDITION.  
Eye Protection:NONE NEEDED.  
Other Protective Equipment:NONE NEEDED.  
Work Hygienic Practices:CLEANSE SKIN THOROUGHLY AFTER CONTACT, BEFORE BREAKS & MEALS, & AT THE END OF WORK PERIOD BY USING SOAP & WATER.  
Supplemental Safety and Health  
MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. REMOVE CONTAMINATED CLOTHING; LAUNDRY OR DRY-CLEAN BEFORE REUSE. REMOVE CONTAMINATED SHOES AND THOROUGHLY CLEAN & DRY BEFORE REUSE.\*\*\*\*\*THIS IS PART B OF A TWO PART KIT.\*\*\*\*\*

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:356F,180C  
Vapor Pres:5  
Spec Gravity:0.75  
Evaporation Rate & Reference:APPROX. 0.3  
Solubility in Water:NEGLIGIBLE; < 0.1  
Appearance and Odor:BLACK LIQUID, NO ODOR

===== Stability and R

activity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS SUCH AS LIQUID CL<sub>2</sub> OR CONCENTRATED O<sub>2</sub>.

Stability Condition to Avoid: HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE AND OTHER

DECOMPOSITION PRODUCTS IN CASE OF INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods: WASTE LIQUID SHOULD BE DISPOSED OF IN AN ENVIRONMENTALLY SAFE M

ANNER AND IN ACCORDANCE WITH GOVERNMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.