

TEXACO INC -- 00435 DIESEL FUEL 2 (BURNER OIL #2) -- 9140-00-286-5295

===== Product Identification =====

Product ID:00435 DIESEL FUEL 2 (BURNER OIL #2)

MSDS Date:03/12/1991

FSC:9140

NIIN:00-286-5295

MSDS Number: BKLQF

=== Responsible Party ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Info Phone Num:914-831-3400 EXT 204

Emergency Phone Num:914-831-3400 EXT
204

Preparer's Name:R.T. RICHARD

CAGE:7B131

=== Contractor Identification ===

Company Name:COOL FUELS INC

Country:US

CAGE:1V711

Company Name:STAR ENTERPRISE

Address:12700 NORTHBOROUGH

Box:City:HOUSTON

State:TX

ZIP:77067

Country:US

Phone:914-838-7204

CAGE:STARE

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM DISTILLATES (BLENDS OF PETROLEUM DIST

ILLATE

CONSISTING OF MAINLY HYDROCARBONS RANGING FROM C6 TO C20)

Fraction by Wt: 100.0%

Other REC Limits:5MG/CUM,AS OIL MIST

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 9.0 ML/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION- NARCOSIS OR DROWSINESS. EYES- IRRITATION. SKIN- SEVERE IRRITATION. BURNS AND BLISTER

ING. INGESTION- IRRITATION, BURNS, BLITERING OF MOUTH, ESOPHAGUS AND STOMACH. CHRONIC: MANUFACTUR ER STATES POSSIBLE CANCER OR KIDNEY DAMAGE.

Explanation of Carcinogenicity:MANUFACTURER STATES POSSIBLE CARCINOGEN FROM "MIDDLE DISTILLATES".

Effects of Overexposure:INHALATION: DIZZINESS, DROWSINESS. EYES: BURNING SENSATION, REDNESS. SKIN: BURNS, RASH, BLISTERS. INGESTION: BURNING OF MOUTH AND ESOPHAGUS. NAUSEA, VOMITING, STOMACH PAIN.

Medical Cond Aggravated by Exposure:PRE-EXI

STING SKIN DISORDERS MAY BE AGGAVATED BY EXPOSURE.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VO MITING! SEE DOCTOR. SEE DOCTOR IF ANY SYMPTOMS PERSIST.

=====
===== Fire Fighting Measures =====

Flash Point Method:P

MCC

Flash Point:160F,71C

Autoignition Temp:Autoignition Temp Text:500F

Lower Limits:0.52 %

Upper Limits:4.1 %

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS AND TO DIPERSE VAPORS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Proc

UNDER RCRA. OTHERWISE CONTACT LOCAL

ENVIRONMENTAL MANAGER AND DISPOSE OF IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should

seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.