View NSN Online: https://aerobasegroup.de/nsn/4730-00-216-6151

Product ID:ASBESTOS FILLED SPIRAL WOUND GASKET MSDS Date:07/09/1986 FSC:4730 NIIN:00-216-6151 **MSDS Number: BKPGN** === Responsible Party === Company Name: FLEXITALLIC GASKET CO INC Address:6915 LAPORTE ROAD Box:760 **City:DEER PARK** State:TX ZIP:77536 Country:US Info Phone Num:713-479-3491 Emergency Phone Num:713-479-3491 CAGE:58156 === Contractor Identification === Company Name: ALPHA MFG CO (AUTOMATION DEVICES INC) Address:7610 FM 3180 Box:City:BAYTOWN State:TX ZIP:77520 Country:US Phone:713-383-3403 CAGE:1N196 Company Name: FLEXITALLIC GASKET CO INC. Address:6915 LAPORTE RD Box:760 **City:DEER PARK** State:TX ZIP:77536 Country:US Phone:713-479-3491 CAGE:58156

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RT ECS #:CI6478500 Other REC Limits:NONE SPECIFIED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9192

Ingred Name:NONHAZARDOUS INGREDIENTS Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:BREATHING OF ASBESTOS FIBERS IN SIGNIFICANT AMOUNTS MAY PR ODUCE IRREVERSIBLE LUNG DISEASE AND CANCER.
Explanation of Carcinogenicity:ASBESTOS FIBERS HAVE BEEN ASSOCIATED WITH DEVELOPMENT OF CANCER IN HUMANS. Effects of Overexposure:IRREVERSIBLE LUNG DISEASE AND CANCER. Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.
======================================
First Aid:IN CASE OF EYE CONTACT, FLUSH WITH WATER FOR 15 MINUTES. CONTACT A PHYSICIAN IF IRRITATI ON OCCURS.
======================================
Flash Point:NONFLAMMABLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:NONFLAMMABLE. USE PROCEDURES SUITABLE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======================================

Spill Release Procedures: VACUUM FINES AND DUST CAREFULLY

AVOIDING

DUSTING. IF SWEEPING IS USED, CONTROL DUST BY WETTING AREA AND USE APPROPRIATE RESPIRATORY PROTECTION. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:PRODUCT IS A SPIRAL WOUND GASKET. NO SPECIAL HANDLING OR STORAGE REQUIRED. Other Precautions:SEE OTHER REGULATIONS FOR ASBESTOS HANDLING IN CFR

TITLE 29, PART 1910, SUBPART 2, PAR 1910.1001.

Respiratory Protection:USE MSA/OSHA RESPIRATOR IF DESIRED. Ventilation:CONSULT LOCALLY APPLICABLE REGULATIONS FOR EMISSION. Protective Gloves:NONE SPECIFIED BY MANUFACTURER. Eye Protection:NONE SPECIFIED BY MANUFACTURER. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:KEEP WORK AREA CLEAN OF ASBESTOS DUST. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

================== Physical/Chemical Properties

\_\_\_\_\_

HCC:N1 Boiling Pt:B.P. Text:NONE Vapor Pres:NONE Vapor Density:NONE Spec Gravity:2.5 Evaporation Rate & amp; Reference:NIL Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT BLUE; NO ODOR Percent Volatiles by Volume:0 %

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED B

## Y MANUFACTURER.

Waste Disposal Methods: FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.