

CHEVRON ENVIRONMENTAL HEALTH CENTER INC. -- DIESEL FUEL NO.1 -- 9140-00-419-0450
===== Product Identification =====

Product ID:DIESEL FUEL NO.1

MSDS Date:02/17/1990

FSC:9140

NIIN:00-419-0450

MSDS Number: BKSRD

=== Responsible Party ===

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER INC.

Address:15299 SAN PABLO AVE.

Box:4054

City:RICHMOND

State:CA

ZIP:94804-0054

Country:US

Info Phone Num:415-233

-3737

Emergency Phone Num:415-233-3737

CAGE:0AHD1

=== Contractor Identification ===

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA

ZIP:94804

Country:US

Phone:800-582-3835

CAGE:0AHD1

Company Name:CHEVRON PRODUCTS COMPANY LUBRICANTS AND SPECIALTY PRODUCTS

Address:6001 BOLLINGER CANYON RD

Box:City:SAN RAMON

State:CA

ZIP:94583

Country:US

Phone:800-414-6737 / 800-582-3835

CAGE:81230

===== Composition/Information on Ingredient

S =====

Ingred Name: DISTILLATES, HYDRODESULFURIZED MIDDLE

CAS: 64742-80-9

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: ACUTE: MAY CAUSE SKIN IRRITATION ON CONTACT. MAY CAUSE CHEMICAL PNEUMONIOSIS WHEN ASPIRATED DURING SWALLOWING OR VOMITING. INHALING THE VAPORS MAY CAUSE CENTRAL

NERVOUS SYTEM EFFECTS.

Explanation of Carcinogenicity: NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure: INHALATION: HEADACHE, NAUSEA, LOSS OF APPETITE, DIZZINESS, DROWSINESS. SKIN: PAIN OR SENSATION OF HEAT, SWELLING, RASH, BLISTERS.

Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN DISORDERS MAY BE AGGAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid: INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VO MITING! IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER OR MILK. SEE DOCTOR. SEE DOCTOR IF ANY SYMPTOMS PERSIST.

===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: 100F, 38C

Extinguishing Media: WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND

FULL PROTECTIVE GEAR. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS AND TO DIPERSE VAPORS.

Unusual Fire/Explosion Hazard: LIQUID EVAPORATES AND FORMS VAPOR WHICH CAN CATCH FIRE AND BURN WITH EXPLOSIVE VIOLENCE. INVISIBLE VAPOR SPREADS EASILY AND CAN BE IGNITED BY MANY SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures: CONTAIN SPILL. ABSORB ON SUITABLE MATERIAL, SCOOP UP AND PLACE IN CONTAINER FOR DISPOSAL. VENTILATE

AREA. AVOID
BREATHING VAPORS.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT AND IGNITION
SOURCES. HANDLE AND STORE IN ACCORDANCE WITH OSHA REG. 1910.106.
Other Precautions:USE ONLY AS A FUEL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE USE NIOSH/MSHA
APPROVED RESPIRATOR IF PEL/TLV EXCEEDED. USE IN ACCORDANCE
WITH 29
CFR 1910.134.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.
Protective Gloves:NITRILE, PVA
Eye Protection:NONE NORMALLY REQUIRED.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:USE GOOD PERSONAL HYGENE. LAUNDER CONTAMINATED
CLOTHING BEFORE REUSE.
Supplemental Safety and Health
KEEP CONTAINER CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED
CONTAINERS WITH COMPLETE AND APPROPRIATE LABELING. DO NOT TAKE
INTERNALLY.

=====
= Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:>200F,>93C
Spec Gravity:0.85
Viscosity:1.9 CST @ 40C
Solubility in Water:INSOLUBLE
Appearance and Odor:PALE YELLOW LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT, FLAME AND OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:OXIDES OF CARBON

===== Disposal Consid

erations =====

Waste Disposal Methods:IF DISCARDED IN ORIGINAL FORM, DISPOSE OF AS AN
IGNITABLE MATERIAL (D001) UNDER RCRA. OTHERWISE CONTACT LOCAL
ENVIRONMENTAL MANAGER AND DISPOSE OF IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.