View NSN Online: https://aerobasegroup.de/nsn/6850-00-598-7311

GUARDSMAN PRODUCTS, INC. -- RADIATOR STOP LEAK -- 6850-00-598-7311

Product ID:RADIATOR STOP LEAK

MSDS Date:09/11/1990

FSC:6850

NIIN:00-598-7311

MSDS Number: BKSSG === Responsible Party ===

Company Name: GUARDSMAN PRODUCTS, INC.

Address:411 N. DARLING

City:FREMONT

State:MI ZIP:49412 Country:US

Info Phone Num:616-924-3950

Emergency Phone Num:800-662-4525

Preparer's

Name: ANDREW B. WHITLOCK

CAGE:GURDP

=== Contractor Identification ===

Company Name: GUARDSMAN CHEMICALS INC CONSUMER PRODUCTS DIV

Address:3503 LOUSMA DR SE

Box:88010

City: GRAND RAPIDS

State:MI

ZIP:49508-2251 Country:US

CAGE:2Y663

Company Name: GUARDSMAN PRODUCTS INC

Address: 2960 LUCERNE DRIVE SE

City: GRAND RAPIDS

State:MI ZIP:49546 Country:US

Phone:616-940-2900

CAGE:GURDP

====== Composition/Information on Ingredients ========

Ingred Name: BOTANICAL SOLIDS

Fraction by Wt: 5-20%

Other

REC Limits: NONE SPECIFIED Ingred Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 15-30% Other REC Limits: NONE SPECIFIED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3 Ingred Name: FATTY ACIDS, TALL-OIL POTASSIUM SALTS CAS:61790-44-1 Fraction by Wt: 1-15% Other REC Limits: NONE SPECIFIED Ingred Name: ETHYLENE GLYCOL (SARA III) CAS:107-21-1 RTECS #: KW2975000 Fraction by Wt: 1-15% Other REC Limits: NONE SPECIFIED OSHA PEL:C 50 PPM ACGIH TLV:C 50 PPM, **VAPOR**; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: OTHER INGREDIENTS, NON-HAZARDOUS OR 60 FPM. Protective Gloves: CHEMICAL RESISTANT Eye Protection: RECOMMEND FACE SHIELD OR SAFETY GLASSES Other Protective Equipment: NONE REQUIRED IN NORMAL USE CONDITIONS. Work Hygienic Practices: BASIC GOOD HOUSEKEEPING. Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:N1 Spec Gravity: 1.034 TYP. Solubility in Water:SOMEWHAT Appearance and Odor:THICK, MILKY BROWN SUSPENSION, MILD ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS LIKE CHLORINE OR CONCENTRATED 02. Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME. Hazardous Decomposition Products: VARIOUS OXIDES OF CARBON, FORMALDEHYDE **GAS** ======= Disposal Considerations ==============

Waste Disposal Methods: COMPLY WITH ALL APPLICABLE REGULATIONS.

Disclaimer (provided with this i

nformation by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.