

CREST INDUSTRIAL CHEMICALS, INC. -- P-C-437B (PAC-4) -- 6850-00-965-2329

===== Product Identification =====

Product ID:P-C-437B (PAC-4)

MSDS Date:01/01/1987

FSC:6850

NIIN:00-965-2329

MSDS Number: BKSVR

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICALS, INC.

Box:742422

City:HOUSTON

State:TX

ZIP:77242

Country:US

Info Phone Num:713-780-1828

Emergency Phone Num:713-780-1828

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM METASILICATE (MAY BE TREATED AS CAUSTIC)

CAS:6834-92-0

RTECS #:VV9275000

Other REC Limits:NONE SPECIFIED

OSHA PEL:2 MG/M3 8HR TWA NAOH

ACGIH TLV:2 MG/M3 CEILING NAOH

===== Hazards Identification =====

=====

Health Hazards Acute and Chronic:CORROSIVE TO MUCOUS MEMBRANES, MOUTH, THROAT, ESOPHOGUS & STOMACH. CORROSIVE TO EYES & SKIN. CHRONIC LOCAL EFFECT MAY CONSIST OF SUPERFICIAL IRRITATION OF THE RESPIRATORY TRACK MAY OCCUR. CAUSES SEVER E BURNS TO SKIN & EYES. MAY CAUSE PERMANENT EYE DAMAGE.

Effects of Overexposure:CORROSIVE TO MUCOUS MEMBRANES, MOUTH, THROAT, ESOPHOGUS & STOMACH. CORROSIVE TO EYES & SKIN. CHRONIC LOCAL EFFECT MAY CONSIST OF SUPERFICIAL IRRITATION OF THE RESPIRATORY TRACT MAY OCCUR. CAUSES SEVER E BURNS TO SKIN & EYES. MAY CAUSE PERMANENT EYE DAMAGE.

===== First Aid Measures =====

First Aid:EYES:IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION. SKIN:WASH WITH PLENTY OF WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. INGESTION:DO NOT INDUCE VOMITING. GIVE LARGE QU ANITITES OF WATER & SEEK MEDICAL ATTENTION.

===== Accidental Release Measures =====

Spill Release Procedures:IF MATERIAL IS SPILLED, CONTAIN LIQUIDS & PREVENT DISCHARGE TO STREAMS OR SEWER SYSTEMS. REPORT TO LOCAL, STATE & FEDERAL AGENCIES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH/MSHA APPROVED RESPIRATOR WHERE MISTS OR SPRAY MAY BE GENERATED

Ventilation:LOCAL EXHAUST:USE ADEQUATE LOCAL EXHAUST VENTILATION.

Protective Gloves:RUBBER GLOVES SHOULD BE WORN

Eye Protection:FACE

SHIELD & CHEMICAL GOGGLES

Work Hygienic Practices:SHOWER & EYEWASH FACILITIES SHOULD BE ACCESSIBLE

Supplemental Safety and Health

STANDARD WORK CLOTHING-WASH CONTAMINATED CLOTHING & DRY BEFORE REUSE.

===== Physical/Chemical Properties =====

HCC:B3

Solubility in Water:COMPLETE

Appearance and Odor:WHITE GRANULAR POWDER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal C

considerations =====

Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL, STATE & FEDERAL  
GUIDELINES

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent pr  
ofessional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.