

SIGMA CHEMICAL COMPANY -- ETHYL ALCOHOL 200 PROOF USP -- 6505-00-104-9000

=====
Product Identification
=====

Product ID:ETHYL ALCOHOL 200 PROOF USP

MSDS Date:02/20/1988

FSC:6505

NIIN:00-104-9000

MSDS Number: BKYGP

=== Responsible Party ===

Company Name:SIGMA CHEMICAL COMPANY

Box:14508

City:ST LOUIS

State:MO

ZIP:63178

Info Phone Num:(314) 771-5765

Emergency Phone Num:(314) 771-5765

Preparer's Name:

KELLY MCANAUL

CAGE:21076

=== Contractor Identification ===

Company Name:SIGMA CHEMICAL COMPANY

Address:3050 SPRUCE ST

Box:14508

City:ST LOUIS

State:MO

ZIP:63178

Country:US

Phone:314-771-5765

CAGE:21076

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 100%

Other REC Limits:1900 MG/CUM

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

=====
Hazards Identification
=====

=

LD50 LC50 Mixture:ORAL LD50 (RAT): 7060 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:HARMFUL BY INHALATION, INGESTION/SKIN ABSORPTION. INHALATION: VAPOR/MIST IS IRRITATING TO EYES, MUCOUS MEMBRANES & UPPER RESPIRATORY TRACT. SKIN: IRRITATION. CAN CAUSE CNS DEPRESSION, NARCOTIC EFFECT & DAMAGE TO THE HEART, NERVES & LIVER.

Explanation of Carcinogenicity:ALCOHOL HAS BEEN LINKED TO CANCER IN HUMANS.

Effects of Overexposure:IRRITATION, NAUSEA, HEADACHE, VOMITING

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/COPIOUS AMOUNTS OF WATER FOR 15 MINS. INGESTION: WASH OUT MOUTH W/WATER IF CONSCIOUS. SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point:62F

Extinguishing Media:CO2, DRY CHEMICAL POWDER/APPROPRIATE FOAM

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:FLAMMABLE LIQUID. VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION & FLASH BACK.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA. SHUT OFF ALL IGNITION SOURCES. WEAR SCBA, RUBBER BOOTS & HEAVY RUBBER GLOVES. COVER W/DRY-LIME/SAND/SODA ASH. PLACE IN COVERED CONTAINERS USING NON-SPARKING TOOLS & TRANSPORT OUTDOORS. VENTILATE AREA/WASH SITE AFTER PICKUP IS COMPLETE.

Neutralizing Agent:DRY-LIME, SODA ASH

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP TIGHTLY CLOSED & AWAY FROM HEAT, SPARKS, OPEN FLAME & OTHER IGNITION SOURCES, MOISTURE. STORE IN A COOL, DRY PLACE.

Other Precautions:DON'T BREATHE VAPOR

. DON'T GET IN EYES, ON SKIN & ON CLOTHING. AVOID PROLONGED/REPEATED EXPOSURE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH/MSHA APPROVED RESPIRATOR.
Ventilation:USE ONLY IN A CHEMICAL FUME HOOD.
Protective Gloves:CHEMICAL RESISTANT, RUBBER
Eye Protection:CHEMICAL SAFETY GOGGLES
Other Protective Equipment:RUBBER BOOTS, SAFETY SHOWER & EYE BATH & OTHER PROTECTIVE CLOTHING
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING/SHOES BEFORE REUSE.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:172.4F
Spec Gravity:0.794
Appearance and Odor:CLEAR, COLORLESS LIQUID

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS, PEROXIDES, ACIDS, ACID CHLORIDES, ACID ANHYDRIDES
ALKALI METALS, AMMONIA
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME/OTHER SOURCES OF IGNITION, MOISTURE
Hazardous Decomposition Products:CO & CO2.

=====
===== Disposal Considerations =====

Waste Disposal Methods:BURN IN A CHEMICAL INCINERATOR EQUIPPED W/AN AFTER BURNER & SCRUBBER, USING EXTRA CARE IN IGNITING AS MATERIAL IS HIGHLY FLAMMABLE. OBSERVE ALL FEDERAL, STATE, & LOCAL REGULATIONS. UN 1170, UN 1986, U N1987.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elemen

ts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.