

GLYPTAL INC -- 1201 RED ENAMEL GLYPTAL -- 5970-00-161-7422

=====
Product Identification
=====

Product ID:1201 RED ENAMEL GLYPTAL

MSDS Date:12/16/1987

FSC:5970

NIIN:00-161-7422

MSDS Number: BKYHN

=== Responsible Party ===

Company Name:GLYPTAL INC

Address:305 EASTERN AVENUE

City:CHELSEA

State:MA

ZIP:02150

Country:US

Info Phone Num:(617) 884-6918

Emergency Phone Num:(617) 884-6918

CAGE:65313

=== Con

tractor Identification ===

Company Name:GLYPTAL INC

Address:305 EASTERN AVE

Box:NONE

City:CHELSEA

State:MA

ZIP:02150-3344

Country:US

Phone:617-884-6918

CAGE:65313

Company Name:THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893

Country:US

Phone:215-743-8200

CAGE:2B613

=====
Composition/Information on Ingredients
=====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 34.5%

Other REC Li

imits:NONE RECOMMENDED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:VARNISH MAKERS & PAINTER NAPHTHA
CAS:8030-30-6
Fraction by Wt: 5.6%
Other REC Limits:NONE RECOMMENDED

Ingred Name:STODDARD SOLVENT,
CAS:64741-41-9
Fraction by Wt: 0.2%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO
IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: IRRITATION, DEFATTING, DRYING, &
DERMATITIS. EYES: IRRITATION. INHALATION: CENTRAL NERVOUS SYSTEM
DEPRESSION, HEADACHES, DIZZINESS, NAUSEA, & LOSS OF CONSCIOUSNESS.
INGESTION: VOMITING, CHEMICAL PNEUMONITIS, & PULMONARY
EDEMA/HEMORRHAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN: IRRITATION, DEFATTING, DRYING, &
DERMATITIS. EYES: IRRITATION. INHALATION: CENTRAL NERVOUS SYSTEM
DEPRESSION, HEAD
ACHES, DIZZINESS, NAUSEA, & LOSS OF CONSCIOUSNESS.
INGESTION: VOMITING, CHEMICAL PNEUMONITIS, & PULMONARY
EDEMA/HEMORRHAGE.

Medical Cond Aggravated by Exposure:PRE-EXISTING LIVER AND/OR KIDNEY
DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid:INGESTION: IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW
HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS, CAN CAUSE CHEMICAL
PNEUMONITIS & PULMONARY EDEMA/HEMOR

RHAGE. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN OR CPR IF NEEDED. EYES: FLUSH W/PLEN- TY OF WATER. SKIN: WASH THOROUGHLY W/WATER. USE HAND LOTION. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Method: PMCC
Flash Point: 75F
Lower Limits: 1%
Extinguishing Media: CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS W/ POSITIVE PRESSURE MODE. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL TO REDUCE PRESSURE.
Unusual Fire/Explosion Hazard: CONTAINERS EXPOSED TO HEAT MAY CAUSE PRESSURE BUILD-UP. FLAMMABLE LIQUID.

=====
Accidental Release Measures
=====

Spill Release Procedures: USE AN ABSORBENT MATERIAL SUCH AS VERMICULITE TO REMOVE SPILLED MATERIAL. PROVIDE ADEQUATE VENTILATION.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN A COOL, WELL-VENTILATED AREA.
AVOID EXCESSIVE HEAT, SPARKS, & OPEN FLAMES. GROUND CONTAINERS & TRANSFER VESSELS.
Other Precautions: KEEP FREE FALL OF LIQUID TO A FEW INCHES TO AVOID BUILD-UP OF STATIC ELECTRICITY. DON'T TAKE INTERNALLY. AVOID CONTACT W/SKIN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: IN CONFINED AREAS USE AN APPROVED SELF-CONTAINED RESPIRATOR.
Ventilation: KEEP AIR
Spec Gravity: 9.91 LB/GL
Evaporation Rate & Reference: