

PATCH RUBBER COMPANY -- PATCHBOND -- 2640-00-242-3467

=====
Product Identification
=====

Product ID:PATCHBOND

MSDS Date:02/01/1989

FSC:2640

NIIN:00-242-3467

MSDS Number: BKYJQ

=== Responsible Party ===

Company Name:PATCH RUBBER COMPANY

Box:H

City:ROANOKE RAPIDS

State:NC

ZIP:27870

Info Phone Num:(919) 536-2574

Emergency Phone Num:(919) 536-2574

CAGE:FO808

=== Contractor Identification ===

Company

Name:PATCH RUBBER CO

Address:BECKER INDUSTRIAL PARK

Box:H

City:ROANOKE RAPIDS

State:NC

ZIP:27870

Country:US

Phone:919-536-2574/800-424-9300(CHEMTREC)

CAGE:17124

Company Name:PATCH RUBBER COMPANY

Box:H

City:ROANOKE RAPIDS

State:NC

ZIP:27870

Phone:(919) 536-2574

CAGE:FO808

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 96-98%

Other REC Limits:350 PPM (CL)

OSHA PEL:

350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT): 10-12 G/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: CNS DEPRESSION/DAMAGE/
RESPIRATORY SYSTEM
IRRITATION/DIZZINESS/NAUSEA/LIGHTHEADEDNESS/HEADACHE/ LOSS OF

COORDINATION/EQUILIBRIUM/UNCONSCIOUSNESS/DEATH. EYES: DISCOMFORT/
PAIN/IRRITATION. S KIN: IRRITATION/DERMATITIS/ABSORPTION.
INGESTION: SEE SUPPLEMENTAL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: CNS DEPRESSION/DAMAGE/ RESPIRATORY
SYSTEM IRRITATION/DIZZINESS/NAUSEA/LIGHTHEADEDNESS/HEADACHE/ LOSS
OF COORDINATION/EQUILIBRIUM/UNCONSCIOUSNESS/DEATH. EYES:
DISCOMFORT/ PAIN/IRRITATION. S KIN:
IRRITATION/DERMATITIS/ABSORPTION. INGESTION: SEE SUP
PLEMENTAL.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR, MOUTH-TO-MOUTH OR
GIVE OXYGEN IF NEEDED. EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST
15 MINS. SKIN: FLUSH W/SOAP & WATER FOR AT LEAST 15 MINS.
INGESTION: GIVE PLENTY OF WATER. DON'T INDUCE VOMITING. DON'T GIVE
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF UNCONSCIOUS OR IN
CONVULSIONS. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO
PHYSIC
IAN: SEE SUPP

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:1000F
Lower Limits:7%
Upper Limits:15%
Extinguishing Media:WATER, DRY CHEMICAL, OR CO2.
Fire Fighting Procedures:FIRE FIGHTERS, WEAR NIOSH/MSHA APPROVED
PRESSURE-DEMAND, SELF-CONTAINED BREATHING APPARATUS FOR POSSIBLE
EXPOSURE TO HYDROGEN CHLORIDE & TRACES OF PHOSGENE.
Unusual Fire/Explosion Hazard:VAPORS IN A CONFINED/POORLY VENTILATED
AREA C

AN IGNITE UPON CONTACT W/A HIGH ENERGY SPARK/FLAME/HIGH INTENSITY SOURCE OF HEAT. THIS CAN OCCUR AT 7-15% BY VOLUME

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE/VENTILATE AREA. WEAR PROTECTIVE EQUIP. RECOVER ON ABSORBENTS (SAWDUST/VERMICULITE). SWEEP INTO CLOSED CONTAINERS FOR DISPOSAL. AFTER ALL VISIBLE TRACES ARE REMOVED, WET VACUUM THE AREA. IF AR EA IS POROUS, REMOVE & PLACE IN CLOSED CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE ONLY IN CLOSED, PROPERLY LABELED CONTAINERS. DON'T USE W/ALUMINUM OR INGEST. USE W/ADEQUATE VENTILATION.

Other Precautions:DON'T USE CURING/WELDING TORCHES ON DRUMS UNLESS PROPERLY PURGED/CLEANED. AVOID CONTACT W/EYES/SKIN/BREATHING VAPORS. NOT SUITABLE FOR VAPOR DEGREASING. AVOID MIXING W/CAUSTIC SODA/POTASH/OXIDIZING MA TERIALS. SHOCK SENSITIVE C OMPOUNDS FORM.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF >TLV, USE A HALF OR FULL FACEPIECE ORGANIC VAPOR CHEMICAL CARTRIDGE OR CANISTER RESPIRATOR. USE SCBA OR FULL FACEPIECE AIRLINE RESPIRATOR W/AUXILIARY SCBA OPERATED IN THE PRESSURE-DEMAND MODE. RESP IRATORS MUST BE APPROVED BY NIOSH/MSHA.
Ventilation:LOCAL EXHAUST/MECHANICAL: AS APPROPRIATE TO KEEP