

PYROIL COMPANY/DIV OF CHAMPION LABS INC -- POWER STEERING FLUID -- 9150-01-200-8008
===== Product Identification =====

Product ID:POWER STEERING FLUID

MSDS Date:08/28/1987

FSC:9150

NIIN:01-200-8008

MSDS Number: BKYVC

=== Responsible Party ===

Company Name:PYROIL COMPANY/DIV OF CHAMPION LABS INC

Address:SECOND & MILL STREETS

City:ALBION

State:IL

ZIP:67806

Info Phone Num:(618) 445-6011

Emergency Ph

one Num:(618) 445-6011

CAGE:NO197

=== Contractor Identification ===

Company Name:CAM2 OIL PROD CO PA 18901

CAGE:CAM2O

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

CAGE:98733

Company Name:PYROIL COMPANY/DIV OF CHAMPION LABS INC

Address:SECOND & MILL STREETS

City:ALBION

State:IL

ZIP:67806

Phone:(618) 445-6011

CAGE:NO197

===== Composition/Information on Ingredients =====

Ingre

d Name:PETROLEUM HYDROCARBONS, SOLVENT DEWAXED RESIDUAL OIL
(PETROLEUM)

CAS:64742-62-7

OSHA PEL:5 MG/CUM

ACGIH TLV:5 MG/CUM (OIL MIST)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: VAPORS OR MIST MAY CAUSE
PULMONARY IRRITATION, DIZZINESS, & NAUSEA.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: VAPORS OR MIST MAY CAUSE PULMONARY
IRRITATION, DIZZINESS, & NAUSEA.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. INGESTION: DON'T INDUCE
VOMITING. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:310F
Extinguishing Media:ALCOHOL FOAM, WATER FOG, CO2, OR DRY CHEMICAL
Fire Fighting Procedures:DON'T ENTER CONFINED FIRE SPACE W/OUT PROPER
PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SCBA. COOL
FIRE-EXPOSED CONTAINERS W/WATER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PROTECT AREA FROM ALL IGNITION SOURCES.
RECOVER FREE LIQUID. ADD SOLID ABSORBENT TO SPILL AREA. PREVENT
SPILLAGE FROM ENTERING SEWERS & WATERWAYS.

=====
===== Handling and Storage =====

Handling and Storage Precau

tions:AVOID INHALATION OF OIL MISTS. STORE
IN A COOL, DRY PLACE W/ADEQUATE VENTILATION. KEEP AWAY FROM OPEN
FLAMES & HIGH TEMPERATURES.

Other Precautions:AVOID CONTACT W/SKIN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF >TLV, USE A NIOSH APPROVED RESPIRATOR.

Ventilation:GENERAL: AS REQUIRED.

Protective Gloves:CHEMICAL RESISTANT SUCH AS NITRILE

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:AS REQUIRED

Work Hygienic Practices:R

REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE. USE USUAL GOOD HYGIENIC PRACTICES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>550F

Vapor Pres:1

Spec Gravity:0.883

Evaporation Rate & Reference:(BU AC = 1): NEGLIGIBLE

Solubility in Water:INSOLUBLE

Appearance and Odor:YELLOW TO LIGHT BROWN LIQUID W/FAINT HYDROCARBON
ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indi

cator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:IGNITION SOURCES SUCH AS OPEN FLAMES OR
HEAT

Hazardous Decomposition Products:CO & UNIDENTIFIED ORGANIC COMPOUNDS
FROM INCOMPLETE COMBUSTION

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for

use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.