

EVERSEAL MFG CO INC -- MAHOGANY STAIN -- 8010-00-165-8627

===== Product Identification =====

Product ID:MAHOGANY STAIN

MSDS Date:03/11/1987

FSC:8010

NIIN:00-165-8627

MSDS Number: BKZWY

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGFIELD

State:NJ

ZIP:07657

Country:US

Info Phone Num:201-943-4986

Emergency Phone Num:201-943-4986

CAGE:72988

=== Contractor

Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:RESIN/OIL

Fraction by Wt: 12%

Other REC Limits:NONE SPECIFIED

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7525000

Fraction by Wt: 18%

Other REC Limits:AS DUST 10 MG/M3

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:MINERAL SPIRITS (VA

POR PRESSURE 5 MM HG)
CAS:64475-85-0
RTECS #:PY8240000
Fraction by Wt: 67%
Other REC Limits:5G/KG (ORAL);120 PPM
OSHA PEL:120 PPM

=====
Hazards Identification
=====

LD50 LC50 Mixture:5 G/KG, ORAL
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:DRYING OF SKIN. EYE IRRITATION.
EXCESSIVE INHALATION MAY CAUSE ANESTHESIA, HEADACHE, DIZZINESS,
NAUSEA. UPPER RESPIRATORY IRRITATION.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION
IF NECESSARY, CALL A PHYSICIAN. SKIN CONTACT: WASH WITH MILD SOAP &
WATER. APPLY A MILD CREAM. IN SEVERE CASES, CONTACT A PHYSICIAN.
INGESTION: CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:105F,41C
Lower Limits:1
Extinguishing Media:FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:WATER NOT A SUITABLE EXTINGUISHING
MEDIUM.

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR
CONTAINER. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL
QUANTITIES MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP COOL, AWAY FROM SOURCE OF
FIRE

NITION, ADEQUATE VENTILATION. AVOID PROLONGED AND REPEATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDS ON CONCENTRATION ABOVE TIME WEIGHTED TLV- CARTRIDGE RESPIRATOR MASK.
Ventilation:WHATEVER IS SUFFICIENT TO KEEP WORKING ROOM CONCENTRATION BELOW THE TLV.
Protective Gloves:IMPERMEABLE
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:APRON, BARRIER CREAM
Supplemental Safety and Health
KEEP FROM OPEN
FLAME.

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:323 TO 390F
Vapor Density:> AIR
Spec Gravity:7.9 WT/GL
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:84

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, FIRE.
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY
YIELD CARBON
MONOXIDE & CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants

this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.