Product ID:SAFETY BOOSTERS 3-130 MSDS Date:06/14/1989 FSC:1377 NIIN:01-016-1416 MSDS Number: BLBBV === Responsible Party === Company Name:HILTI INC Address:5400 SOUTH 122ND EAST AVE City:TULSA State:OK ZIP:74146 Country:US Info Phone Num:800-727-3427 Emergency Phone Num:918-252-6000 CAGE:EO264 === Contractor Identification === **Company Name: HILTI INC** Address:5400 S 122ND E AVE Box:21148 City:TULSA State:OK ZIP:74121 Country:US Phone:918-252-6000/800--879-6000 CAGE:11239 **Company Name: HILTI INC** Address:5400 S 122ND EAST AVE Box:21148 City:TULSA State:OK ZIP:74121 Country:US Phone:918-252-6000/800-879-6000 CAGE:EO264

Ingred Name:LEAD TRINITRORESORCINATE; (LEAD STYPHNATE). MFR CAS#:15243-44-0 CAS:15345-44-0 RTECS #:OG6425000 OSHA PEL:0.05 MG(PB)/M3 ACGIH TLV:0.15 MG(PB)/M3

Ingred Name:1-TETRAZENE,1-GUANYL-4-NITROSAMINOGUANYL-; (TETRACENE) CAS:109-27-3 RTECS #:XF6900000

Ingred Name:BARIUM (II) NITRATE (1:2); (BARIUM NITRATE) CAS:10022-31-8 RTECS #:CQ9625000 OSHA PEL:0.5 MG(BA)/M3 ACGIH TLV:0.5 MG(BA)/M3

Ingred Name:DIPHENYLAMINE CAS:122-39-4 RTECS #:JJ7800000 OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3; 9192

Ingred Name:ANTIMONY TRISULFIDE; (ANTIMONY SULFIDE) CAS:1345-04-6 RTECS #:CC9450000 OSHA PEL:0.5 MG(SB)/M3 ACGIH TLV:0 .5 MG(SB)/M3

Ingred Name:NITROGLYCERIN (NG) (SARA III) CAS:55-63-0 RTECS #:QX2100000 OSHA PEL:S,C, 0.2 MG/M3 STEL ACGIH TLV:S, 0.46 MG/M3; 9293 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:NITROCELLULOSE CAS:9004-70-0 RTECS #:QW0970000

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Ch ronic:IRRITATION TO EYES, SKIN & RESPIRATORY SYSTEM. ADVERSE HEALTH EFFECTS ARE NOT EXPECTED FROM LONG TERM EXPOSURE TO FUMES & GASES. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES ARE ESSENTIAL TO KEEP EXPOSURE TO A MINIMUM. KNOWN HAZARDS: IRRITATION FROM FUMES & GASES. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE ANTICIPATED.

Fi

rst Aid:EYE:IF IRRIT OCCURS, FLUSH W/PLENTY OF H\*20. CALL MD IF SYMPS PERSIST. SKIN:WASH THORO W/SOAP/H\*20 IF IRRIT OCCURS. INHAL:MOVE TO FRESH AIR. GET MD IF SYMPS PERSIST. INGEST:GET MD IMMED. OTHER:SEEK PR OMPT MED ATTN IF PHYSICAL INJURY OCCURSFROM PINS/RIVETS/SHRAPNEL/ETC. FOR BLEEDING WOUNDS, PLACE CLEAN MATL ON THE WOUND & APPLY FIRM HAND PRESS. ELEVATE THE WOUND & TRANSPORT IMMED TO MED FACILITY.

======================================
=
<ul> <li>Extinguishing Media:WATER.</li> <li>Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA &amp; FULL PROTECTIVE EQUIPMENT . FLOOD AREA W/WATER OR KEEP CARTRIDGES COOL W/WATER SPRAY.</li> <li>Unusual Fire/Explosion Hazard:CARTRIDGES CAN EXPLODE WHEN EXPOSED TO TEMPERATURES ABOVE 200 C.</li> </ul>
======================================
Spill Release Procedures: NONE SPECIFIED BY MANUFACTURER

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=================== Handling and Stora

Handling and Storage Precautions:STORE IN A COOL/DRY PLACE. DO NOT CRUSH OR DROP. KEEP AWAY FROM EXCESS HEAT, ELECTRICAL CURRENT & STRONG ACIDS OR OXIDIZERS.

Other Precautions: USE ONLY IN POWDER ACTUATED TOOLS DESIGNED TO HANDLE THESE BOOSTERS. EMPLOYERS MUST BE PROPERLY TRAINED AS PRESCRIBED IN 29 CFR 1926.302(E)

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: PARTICULE NIOSH/MSHA APPROVED RESPIRATOR WHERE

AIR MOVEMENT IS INADEQUATE TO MAINTAIN EXPOSURE BELOW RECOMMENDED LEVELS. Ventilation:(NATURAL OR MECHANICALLY INDUCED FRESH AIR MOVEMENTS THAT MAINTAIN EXPOSURE LEVELS BELOW RECOMMENDED LIMITS. Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: MUFFS OR AURAL INSERTS. SEE 29 CFR 1910.95.

Work Hygienic Practices:WASH EXPOSED SKIN THOROUGHLY AFTER USE. WASH HANDS BEFORE EATING.

Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Appearance and Odor: BRASS CASING COLOR; CURED ON STAR CRIMP.

Stability Indicator/Materials to Avoid:YES STRONG ACIDS & OXIDIZING MATERIALS.

Stability Condition to Avoid:ACIDS, EXCESS HEAT, CRUSHING & ELECTRICAL CURRENTS.

Hazardous Decomposition Products:OXIDES OF NITROGEN, ACRID FUMES & LEAD.

====== Disposal Considerat

Waste Disposal Methods:MISFIRES, BENT CARTRIDGES, ETC. SHOULD BE STORED IN A CONTR OF WATER TO WHICH DETERGENT HAS BEEN ADDED AS A "WETTING" AGENT. THE ONLY PROPER DISP METHOD IS TO INCIN IN SMALL AMTS IN A BURNER SPECIFICA LLY DESIGNED FOR DESTROYING HAZ AMMUNITION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.