

VINELAND WAX SPECIALTIES INC WAX PROCESSING -- LUBE OIL COMPOUNDED --
9150-00-231-6646

===== Product Identification =====

Product ID:LUBE OIL COMPOUNDED

MSDS Date:10/25/1991

FSC:9150

NIIN:00-231-6646

MSDS Number: BLCYJ

=== Responsible Party ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:297

City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Info Phone Num:COMPAN

Y OUT OF BUSINESS

Emergency Phone Num:COMPANY OUT OF BUSINESS

Preparer's Name:DGSC-SSH

CAGE:63400

=== Contractor Identification ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:609-697-3941 (OUT OF BUSINESS)

CAGE:63400

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Fraction by Wt: 93-95%

Other

REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:TALLOW OIL, ACIDLESS
Fraction by Wt: 5-7%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NO HEALTH HAZARD UNDER NORMAL
CONDITIONS OF USE. CHRONIC: PRO
LONGED OR REPEATED CONTACT MAY CAUSE
MILD IRRITATION.
Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYES/SKIN: MILD IRRITATION. INHALATION:
RESPIRATORY IRRITATION. INGESTION: GASTROINTESTINAL DISTURBANCE.
Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. SKIN: WASH WITH SOAP AND
WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION:
REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR.
INGESTION: DO NOT INDUCE VOMITING. SEE DOCTOR.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>475F,>246C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPA

RATUS. EVACUATE AREA. COOL

FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENTILATE AREA.

WEAR PROTECTIVE CLOTHING AND EQUIPMENT. ABSORB IN INERT MATERIAL
AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER.

Neutralizing Agent:NOT APPLICABLE.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND
INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED
RESPIRATOR OR SCBA AS APPROPRIATE FOR EXP
OSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST
VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE
EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY
SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety an
d Health

MSDS GENERATED BY DGSC-SSH.

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:1

Spec Gravity:0.9

Viscosity:460 CS @ 100F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OILY LIQUID, BLAND ODOR.

Corrosion Rate:NO.3 MAX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES.

Hazardous Decomposition Products:CARBON

MONOXIDE, CARBON DIOXIDE,
INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.