View NSN Online: https://aerobasegroup.com/nsn/6850-00-285-9432

Product ID: ISOPROPANOL SOLUTION MSDS Date:01/01/1985 FSC:6850 NIIN:00-285-9432 MSDS Number: BLCZJ === Responsible Party === Company Name: AMCO CHEMICAL CO. Address:3 RD & CYPRESS STREETS Box:208 City:OAKLAND State:CA ZIP:94607 Country:US Info Phone Num:415-938-3403 Emergency Phone Num:415-938-3403 Prep arer's Name: DOD-HMIS (DGSC-SSH) CAGE:97984 === Contractor Identification === Company Name: AMCO CHEMICAL CORP Address:3RD - CYPRS Box:208 City:OAKLAND State:CA ZIP:94607 Country:US Phone:NOT IN BUSINESS! 911008P505A ??? CAGE:97984

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 75.0% OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:DIOCTYL SODIUM SULFOSUCCINATE CAS:5

77-11-7 RTECS #:WN0525000 Fraction by Wt: 25.0%

SPILLS: DIKEFOR DISPL

Health Hazards Acute and Chronic:. Effects of Overexposure:SORE THROAT,COUGHING,SHORTNESS OF BREATH, HEADACHE, IRRITATES SKIN, IRRITATES EYES, ABDOMINAL PAIN, VOMIT Medical Cond Aggravated by Exposure:. First Aid:INHALATION:REMOVE TO FRESH AIR, REST & CAL A DOCTOR.SKIN:REMOVE CONTAMINATED CLOTHES, RINSE SKIN W/PLENTY OF WATER OR SHOW & CALL A DOCTOR.EYES: FIRST RINSE WITH PLENTY OF WATER, SEE DR. INGESTION: RINSE MO UTH, GIVE PLENTY OF WATER TO DRINK & CALLA DR. Flash Point:84F SCC Lower Limits:2.0 Upper Limits:12.0 Extinguishing Media:CO*2,H*2O,SAND,POWDER,HALONS,ALCOHOL FOAM Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. KEE DRUMS COOL-H*20 Unusual Fire/Explosion Hazard: DISTANT IGNITION POSSIBLE.VA POR-AIR MIXTURES ARE EXPLOSIVE.VIOLENT REACTION W/H*2 & PALLADIUM Spill Release Procedures: COLLECT LEAKING LIQUID IN SEALABEL CONTAINERS.NO IGNITION SOURCES IN HAZARDOUS AREA.STOP LEAK IF YOU CAN DO IT WITHOUT RISK. USE WATER SPRAY TO REDUCE VAPORS. SMALL SPILLS: TAKE UP W/SAND, OR OTHER NONCOM B.ABSORBENTS, FLUSH W/H*2O.LG

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE TO CONTAINERS.USE SPARK-RESISTANT TOOLS & EQUIPMENT.KEEP AWAY FROM OXIDIZING SUBSTANCES.STORE IN LOW FIRE RISK AREA.

Other Precautions: AVOID CONTACT WITH LIQUID & VAPOR.STORE IN A COOL, DRY AREA.KEEP AREA WELL VENTILATED.DO NOT USE COMPRESSED AIR FOR FILLING, DISCHARGI OR HANDLING.USE GOOD PERSONAL HYGIENE.STORE IN CLSD CONT

======= Exposure Controls/Personal Protection ==========

Respiratory Protec tion:SELF-CONTAINED BREATHING APPARATUS. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Other Protective Equipment:FACE SHIELD,COVERALLS & MULTIPURPOSE GAS MASK. Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health *AMCO CHEMICAL NO LONGER IN BUSINESS. MSDS COPIED FROM ANOTHER SUPPLIER, THIS NSN.*

======== Physical/Chemical Propert

HCC:F3 Boiling Pt:=93.3C, 200.F Vapor Pres:31 Spec Gravity:1.0 Evaporation Rate & amp; Reference:1.8,BUTYL ACETATE Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIQUID,ALCOHOL LIKE ODOR. Percent Volatiles by Volume:75.0

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS,HYDROGEN & PALLADIUM,TRINITROMETHANE. Hazardous Decomposition Products:CO*2,CO

====== Disposal Con

Waste Disposal Methods:INCINERATE UNDER CONTROLLED CONDITIONS.ACTIVATED SLUDG TREATMENT IN PUBLIC SEWAGE PLANT IS RECOMMENDED FOR AQUEOUS SOLUTIONS IN LOW CONCENTRATIONS.DISPOSAL MUST BE DONE IAW STATE,FEDERAL & LOCAL REGUL ATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly

or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.