

COOPER INDUSTRIES INC -- W-K-M NO. 24 SEALANT -- 9150-01-123-4746
===== Product Identification =====

Product ID:W-K-M NO. 24 SEALANT
MSDS Date:08/01/1991
FSC:9150
NIIN:01-123-4746
MSDS Number: BLJMY
=== Responsible Party ===
Company Name:COOPER INDUSTRIES INC
Address:16500 SOUTH MAIN
City:MISSOURI CITY
State:TX
ZIP:77459
Country:US
Info Phone Num:713-499-8511
Emergency Phone Num:713-499-8511
Prepa
rer's Name:W J SUTTON
CAGE:01957
=== Contractor Identification ===
Company Name:COOPER INDUSTRIES INC
Address:16500 SOUTH MAIN
Box:419
City:MISSOURI CITY
State:TX
ZIP:77459
Country:US
Phone:713-499-8511
CAGE:01957

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INGEST:CALL A DOCTOR. NO. 24 SEALANT IS SOLUBLE IN MINERAL OIL. INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION) . EYE:IMMEDIATELY FLUSH EYES W/POTABLE WATER FOR A MINIMUM OF 15 MINS, SEEK ASSISTANCE FROM MD . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD .

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:400F,204C
Extinguishing Media:CARBON DIOXIDE & DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:MAY BE WASHED OR CLEANED UP W/KEROSENE OR OTHER HYDROCARBON SOLVENTS, USING STANDARD SAFETY PRECAUTIONS, SUCH AS GOOD VENTILATION, IN THE ABSENCE OF OPEN FLAMES & WEARING SUITABLE GLOVES WHILE HANDLIN G CLEAN-UP SOLVENTS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:NO SPECIAL HANDLING. KEEP IN COOL, DRY PLACE FOR BEST STORAGE LIFE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NEEDED.
Ventilation:LOCAL EXHAUST STANDARD.
Protective Gloves:NONE NEEDED.
Eye Protection:NONE NEEDED.
Other Protective Equipment:NONE NEEDED.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Spec Gravity:>1

Evaporation Rate & Reference:>1%

Solubility in Water:>1%

Appearance and Odor:OFF-WHITE COLOR W/NEUTRAL ODOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS/CHEMICAL & ORGANIC SOLVENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

=====

Waste Disposal Methods:STANDARD DISPOSAL. DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.