

GATES ENGINEERING CO.,INC. -- N-700A-BLACK -- 8030-00-145-0111

=====
Product Identification
=====

Product ID:N-700A-BLACK

MSDS Date:12/03/1985

FSC:8030

NIIN:00-145-0111

MSDS Number: BLJRT

=== Responsible Party ===

Company Name:GATES ENGINEERING CO.,INC.

Address:100 S. WEST STREET

City:WILMINGTON

State:DE

ZIP:19801

Country:US

Info Phone Num:302-656-9951DISCONNECTED....

Emergency Phone Num:..

...DISCONNECTED....

CAGE:88112

=== Contractor Identification ===

Company Name:GATES ENGINEERING CO.,INC.

Address:100 S. WEST STREET

Box:City:WILMINGTON

State:DE

ZIP:19801

Country:US

Phone:.....DISCONNECTED....

CAGE:88112

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYCHLOROPRENE

CAS:9010-98-4

RTECS #:EI9660000

Fraction by Wt: 13.5%

Other REC Limits:NONE SPECIFIED

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by

Wt: 4.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 38.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:VM & P NAPHTHA
CAS:64475-85-0
RTECS #:PY8240000
Fraction by Wt: 10.0%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:300 PPM

Ingred Name:LACT
OL
CAS:8030-30-6
RTECS #:DE3030000
Fraction by Wt: 11.0%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:300 PPM

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 7.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9192

Ingred Name:ALUMINUM SILICATE
CAS:22708-90-3
Fraction by Wt: 9.0%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 MG/M3

Ingred Name:PHENOLIC RESIN
Fraction by Wt: 6.0%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:10 MG/M3

Ingred Name:CHLORIN

ATED PARAFFIN

CAS:61788-76-9

Fraction by Wt: 1.5%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MAY BE AN IRRITANT. SKIN: MAY
CAUSE SKIN IRRITATION AND DERMITITIS UPON PROLONGED OR REPEATED
CONTACT. INHALATION: IT IS A RESPIRATORY TRACT IRRITANT AND
ANESTHETIC AND CAUSES CENTRAL NE
RVOUS SY STEM DEPRESSION.
INGESTION: MAY CAUSE LIVER AND/OR KIDNEY DAMAGE.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15
MINUTES. CONSULT A PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND
WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING STOPS, BEGIN
ARTIFICIAL R ESPIRATION AND CONCLUT A PHYSICIAN. INGESTION: DO NOT
INDUCE VOMITING. CONSULT PHYSICIAN.

=====
Fire Figh
ting Measures
=====

Flash Point Method:SCC
Flash Point:40.0F,4.4C
Lower Limits:0.9
Upper Limits:7.0
Extinguishing Media:FOAM, CARBON DIOXIDE OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB ON SUITABLE INERT MATERIAL. REMOVE ALL
SOURCES OF IGNITION.

=====
Handling and Storage
=====

====

Handling and Storage Precautions:KEEP AND STORE IN COOL, DRY PLACE AWAY FROM SOURCES OF IGNITION. GROUND DURING TRANSFER.

Other Precautions:REPEATED AND PROLONGED OVEREXPOSURE MAY CAUSE BRAIN DAMAGE AND NERVOUS SYSTEM DAMAGE. CONCENTRATING AND INHALING THE CONTENTS MAY BE HARNFUL OR FATAL.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH APPROVED CARTRIDGE RESPIRATOR OR GAS MASK.

Ventilation:MECHANICAL

Protective Glove

s:IMPERMEABLE GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AVAILABLITY OF EYE WASHES AND SAFETY SHOWERS IS RECOMMENDED.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:F2

Vapor Density:>1

Spec Gravity:0.985

Evaporation Rate & Reference:(ETHER=1)