

BAKER SEALANTS AND COATINGS CO -- ANTISEIZE COMPOUND, X-603 -- 8030-00-201-0996

=====
Product Identification
=====

Product ID:ANTISEIZE COMPOUND, X-603

MSDS Date:05/05/1988

FSC:8030

NIIN:00-201-0996

MSDS Number: BLJSF

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:US

Info Phone Num:201-333-6986

Emergen

cy Phone Num:201-333-6986/800-356-3129 CHEMTREC

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
Composition/Information on Ingredients
=====

Ingred Name:CARBON (PIGMENT)

CAS:7440-44-0

RTECS #:FF5250000

Fraction by Wt: 50%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:TAL

C (CONTAINING NO ASBESTOS)
CAS:14807-96-6
RTECS #:WW2710000
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3 RDUST
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')
CAS:8012-95-1
RTECS #:PY8030000
Fraction by Wt: 45-50%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:PETROLEUM OIL (CATALYST)
Other REC Limits:NONE SPECIFIED

=====
First Aid Measures
=====

First Aid:NORMAL, LOGICAL FIRST AID PROCEDURES.

=====
Fire Fighting Measures
=====

Flash Point:>300F, >149C
Extinguishing Media:DRY CHEMICAL, OR CARBON DIOXIDE

=====
Accidental Release Measures
=====

Spill Release Procedures:NORMAL WIPE UP AND DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AT REASONABLE TEMPERATURES 40 F TO 90 F.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF DESIRED ALTHOUGH NONE IS NECESSARY.
Ventilation:LOCAL EXHAUST.
Eye Protection:GLASSES, IF DESIRED.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:>300F, 149C
Vapor Pres:NEGLIGIBLE
Spec Gravity:1.49
Solubility in Water:INSOLUBLE
Appearance and Odor:BLACK PASTE

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid

id:YES

===== Disposal Considerations =====

Waste Disposal Methods:AS PER LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s

ould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.