

HIGHSIDE CHEMICALS INC -- LEAK LOCK(R) PIPE JOINT COMPOUND -- 8030-00-999-6313

=====
Product Identification
=====

Product ID:LEAK LOCK(R) PIPE JOINT COMPOUND

MSDS Date:06/26/1989

FSC:8030

NIIN:00-999-6313

MSDS Number: BLJYJ

=== Responsible Party ===

Company Name:HIGHSIDE CHEMICALS INC

Address:REICHHOLD RD

Box:3748

City:GULFPORT

State:MS

ZIP:39505

Country:US

Info Phone Num:(601)896-9220

Emergency

Phone Num:(601)896-9220

CAGE:08589

=== Contractor Identification ===

Company Name:HIGHSIDE CHEMICALS INC

Address:REICHHOLD RD

Box:3748

City:GULFPORT

State:MS

ZIP:39505

Country:US

Phone:601-896-9220

CAGE:08589

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 85%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-5

6-1
RTECS #:PC1400000
Fraction by Wt: 15%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:EYES: CAN CAUSE IRRITATION, REDNESS,
TEARING OR BLURRED VISION. IRRITANT IS APPROXIMATELY 20% ETHYL
ALCOHOL. SKIN: CAN CAUSE SLIGHT IRRITATION. BREATHING: CAN
CAUSE
NASAL AND RESPIRATORY IRRITATION. SWALLOWING: NON-TOXIC.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL
ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. BREATHING:
REMOVE TO FRESH AIR. SWALLOWING: NON-TOXIC.

=====
Fire Fighting Measures
=====

Flash Point:73.0F,22.8C
Extinguishing Media:WATER FOG, OR CARBON DIOXIDE DRY CHEMICAL.
Fire Fighting Procedures:
s:WEAR SELF-CONTAINED BREATHING APPARATUS. TREAT
AS ALCOHOL FIRE.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY
TRAVEL ALONG THE GROUND OR BE MOVED BY VENTILATION AND IGNITED.

=====
Accidental Release Measures
=====

Spill Release Procedures:NO ABNORMAL PRECAUTIONS ARE NECESSARY FOR
THOROUGH CLEAN-UP. MATERIAL IS SOLUBLE IN ALCOHOL OR SOLUTIONS OF
CAUSTIC SODA.

=====
Exposure Controls/Personal Protection
=====

R

respiratory Protection:NO SPECIFIC PRECAUTIONS.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F5

Vapor Density:1.6

Spec Gravity:1.3+- .1

Solubility in Water:INSOLUBLE

Appearance and Odor:BLUE FLOWABLE PASTE. ODORLESS.

Percent Volatiles by Volume:+-20

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:AVOID CONTACT WITH STRONG OXIDIZING
AGENTS.

H

azardous Decomposition Products:MAY FORM TOXIC MATERIALS; CARBON
DIOXIDE AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL CAN BE DISPOSED OF IN LANDFILL IN
ACCORDANCE WITH APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly
or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.