

CROWN OIL & CHEMICAL CO. -- CROWN GL-5 GEAR OIL 80W90 -- 9150-01-035-5393

=====
Product Identification
=====

Product ID:CROWN GL-5 GEAR OIL 80W90
MSDS Date:08/30/1991
FSC:9150
NIIN:01-035-5393
MSDS Number: BLLWX
=== Responsible Party ===
Company Name:CROWN OIL & CHEMICAL CO.
Address:759 HILL STREET
Box:10692
City:JEFFERSON
State:LA
ZIP:70181
Country:US
Info Phone Num:504-733-9133 FAX: 504-734-72
55
Emergency Phone Num:504-733-9133
CAGE:0CF76
=== Contractor Identification ===
Company Name:CROWN OIL & CHEMICAL CO.
Address:751 HILL STREET
Box:City:JEFFERSON
State:LA
ZIP:70121
Country:US
Phone:504 OUT OF BUSINESS
CAGE:0CF76
Company Name:MONOCO J. INC (504-359-6464)
CAGE:0PVD8

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENT
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/KG
Routes of Entry: Inhalation:UNKNOWN Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

===== First Aid Measures =====

First Aid:NONE

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:360F,182
C
Extinguishing Media:USE WATER FOG, WATER SPRAY, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS WITH FACE PIECE.
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE EVOLVED ON BURNING OR EXPOSURE TO HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP AND DISPOSE AS SOLID WASTE

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT HANDLE OR STORE AT TEMPERATURE OVER 38C (100F).
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.
Ventilation:MECHANICAL (GENERAL) VENTILATION RECOMMENDED.
Protective Gloves:NEOPRENE OR NITRILE RUBBER GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protecti

ve Equipment:NONE
Work Hygienic Practices:NONE
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>572F,>300C
Vapor Pres:0
Spec Gravity:.87-.91
Evaporation Rate & Reference:0
Solubility in Water:0 AT 20C
Appearance and Odor:VISCOUS LIQUID, BLAND ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BRO
MINE AND CHROMIC ACID.
Stability Condition to Avoid:HEAT, IGNITION SOURCES, ETS.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
OXIDES OF PHOSPHOROUS AND OXIDES OF SULFUR FROM BURNING.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use
by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.