

VINELAND WAX SPECIALTIES INC WAX PROCESSING -- VV-C-850 A -- 9150-00-252-6371

=====
Product Identification
=====

Product ID:VV-C-850 A

MSDS Date:12/27/1991

FSC:9150

NIIN:00-252-6371

MSDS Number: BLNBP

=== Responsible Party ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Info Phone Num:NO ANSWER ! OUT OF BUSINESS !

Em

ergency Phone Num:609-697-3941(TROUBLE)

Preparer's Name:DGSC-SSH

CAGE:63400

=== Contractor Identification ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:609-697-3941 (OUT OF BUSINESS)

CAGE:63400

=====
Composition/Information on Ingredients
=====

Ingred Name:COMPLEX MIXTURE OF PETROLEUM HYDROCARBONS

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 AS OIL MISTS

ACGIH TLV:5 MG/M3 AS OIL M

ISTS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-MAY CAUSE IRRITATION OF EYES,

SKIN, RESPIRATORY OR G.I. TRACTS; CNS EFFECTS LIKE HEADACHE,

DIZZINESS, NAUSEA AND VOMITING. CHRONIC- MAY CAUSE DERMATITIS.

Effects of Overexposure:MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY

OR G.I. TRACTS; CNS EFFECTS LIKE HEADA

CHE, DIZZINESS, NAUSEA AND
VOMITING.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF AILMENTS
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid: INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.
GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER
FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MED
ICAL ATTENTION. SKIN:
REMOV E CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF
IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION: DO NOT INDUCE
VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point: >200F, >93C
Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROT
ECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PERSONAL PROTECTION. ELIMINATE ALL
SOURCES OF IGNITION. VENTILATE AREA. STOP LEAK IF POSSIBLE. CONTAIN
FREE MATERIAL. USE SUITABLE INERT ABSORBENT MATERIAL AND RE
COVER
FOR PROPER DISPOSAL I N AN APPROVED CONTAINER.
Neutralizing Agent: NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions: STORAGE- STORE IN A COOL, DRY, WELL
VENTILATED AREA AWAY FROM FLAME & OXIDIZERS.
Other Precautions: DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED
BREATHING OF VAPORS OR MISTS. AVOID CONTACT WITH EYES AND SKIN. USE
WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING AND
BEFORE EATI

NG OR DRINKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: WEAR A NIOSH/MSHA-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE & FULL PROTECTIVE EQUIPMENTS IF MISTS OR VAPORS ARE PRESENT.

Ventilation: MECHANICAL (GENERAL) VENTILATION

Protective Gloves: NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

MSDS WAS NOT AVAILABLE FROM THE MANUFACTURER. THE INFORMATION IS FURNISHED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION FROM OTHER SOURCES AND TO HANDLE THE PRODUCT SAFELY.

===== Physical/Chemical Properties =====

HCC: V6

Vapor Pres: