

=====
Product Identification
=====

Product ID:CELVACENE VACUUM GREASE

MSDS Date:10/01/1989

FSC:9150

NIIN:01-137-4657

MSDS Number: BLRRD

=== Responsible Party ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Info Phone Num:716-458-2550 (72)/FAX -0424 MARY

Emergency Phone Num:716-458-2550/CHEMTREC 800-424-9300

CAGE:98079

=== Contractor Identi

fication ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Phone:716-458-2550

CAGE:98079

=====
Composition/Information on Ingredients
=====

Ingred Name:CELLULOSE ACETATE/CELLULOSE ACETATE BUTYRATE

CAS:9004-35-7

Fraction by Wt: 5 - 30%

Other REC Limits:NONE SPECIFIED

Ingred Name:CASTOR OIL

CAS:68187-84-8

Fraction by Wt: 70 - 95%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE OR CHRONIC- NO SPECIFIC HAZARD KNOWN TO CVC PRODUCTS, INC.

Effects of Overexposure:MAY CAUSE EYE IRRITATION.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

=====

First Aid:GET MEDICAL ATTENTION IF NEEDED. INHALATION: REMOVE TO FRESH AIR. INGESTION: UNKNOWN. TOXICITY DATA ON HAND FOR COMPONENTS SHOW MATERIAL IS PRACTICALLY NONTOXIC. EYE: FLUSH WITH WATER FOR 15 MINUTES W HILE HOLDING EYELIDS OPEN. SKIN: WASH THOROUGHLY WITH DETERGENT AND WATER.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:APPROX. 3000

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL

OR FIRE BLANKET

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL. FLUSH AREA WITH DETERGENT AND WATER.

===== Handling and Storage =====

Handling and Sto

Storage Precautions: STORAGE-STORE IN A COOL, DRY PLACE,
AWAY FROM OPEN FLAMES & HIGH TEMPERATURES. KEEP CONTAINERS TIGHTLY
CLOSED.

Other Precautions: MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE
EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY
CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF
CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE
CLEANED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED
RESPIRATOR IF MATERIAL IS EXPOSED TO HIGH TEMPERATURES.

Ventilation: WORK IN A WELL VENTILATED AREA.

Protective Gloves: OIL RESISTANT

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR
FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: V6

Melt/Freeze Pt: M.P/F.P Text: 90C TO 130C

Vapor Pres: