

CVC PRODUCTS INC -- CELVACENE VACUUM GREASE -- 9150-01-137-4657

=====
Product Identification
=====

Product ID:CELVACENE VACUUM GREASE

MSDS Date:10/01/1989

FSC:9150

NIIN:01-137-4657

MSDS Number: BLRRD

=== Responsible Party ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Info Phone Num:716-458-2550 (72)/FAX -0424 MARY

Emergency Phone Num:716

-458-2550/CHEMTREC 800-424-9300

CAGE:98079

=== Contractor Identification ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Phone:716-458-2550

CAGE:98079

=====
Composition/Information on Ingredients
=====

Ingred Name:CELLULOSE ACETATE/CELLULOSE ACETATE BUTYRATE

CAS:9004-35-7

Fraction by Wt: 5 - 30%

Other REC Limits:NONE SPECIFIED

Ingred Name:CASTOR OIL

CAS:68187-84-8

Fraction by Wt: 70 - 95%

Other REC Limits:NONE SPECIF

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE OR CHRONIC- NO SPECIFIC HAZARD
KNOWN TO CVC PRODUCTS, INC.
Effects of Overexposure:MAY CAUSE EYE IRRITATION.
Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE
AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF NEEDED. INHALATION: REMOVE TO FRESH
AIR. INGESTION: UNKNOWN. TOXICITY DATA ON HAND FOR COMPONENTS SHOW
MATERIAL IS PRACTICALLY NONTOXIC. EYE: FLUSH WITH WATER FOR 15
MINUTES W HILE HOLDING EYELIDS OPEN. SKIN: WASH THOROUGHLY WITH
DETERGENT AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:APPROX. 3000
Extingu
ishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL
OR FIRE BLANKET
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.
FLUSH AREA WITH DETERGENT AND WATER.

=====

= Handling and Storage =====

Handling and Storage Precautions: STORAGE-STORE IN A COOL, DRY PLACE, AWAY FROM OPEN FLAMES & HIGH TEMPERATURES. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions: MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE CLEANED.

===== Exposure
Controls/Personal Protection =====

Respiratory Protection: NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED RESPIRATOR IF MATERIAL IS EXPOSED TO HIGH TEMPERATURES.

Ventilation: WORK IN A WELL VENTILATED AREA.

Protective Gloves: OIL RESISTANT

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: V6

Melt/Freeze Pt: M.P/F.P Text: 90C TO 130C

Vapor Pres: