View NSN Online: https://aerobasegroup.de/nsn/6750-01-169-1851

EASTMAN KODAK COMPANY -- KODAK HOBBY-PAC COLOR SLIDE KIT BLEACH-FIX, 6750-01-169-1851

Product ID:KODAK HOBBY-PAC COLOR SLIDE KIT BLEACH-FIX, MSDS Date:10/10/1985 FSC:6750 NIIN:01-169-1851 MSDS Number: BLRRG === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-5 151 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

======= Composition/Information on Ingredients ==========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 45-50% Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN64650 00 Fraction by Wt: 45-50% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM METABISULFITE CAS:7681-57-4 RTECS #:UX8225000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9192 Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALE-LOW HAZARD FOR USUAL INDUSTRIAL HANDLING, EYE-NO SPECIFIC H AZARD KNOWN. HOWEVER, ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. SKIN-LOW HAZARD FOR USUAL INDUSTRIAL HANDLING. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO KNOWN CARCINOGENS OR SUSPECT CARCINOGEN. Effects of Overexposure:NONE Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IN CASE OF EYE CONTACT, FLUSH WITH PLENTY OF WATER.

====== Fire Fighting

Flash Point:NONE Extinguishing Media:USE MEDIA APPROPIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND SELF CONTAINED BREATHING APPARATUS TO PREVENT CONTACT WITH SKIN AND EYES. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: FLUSH TO SAN ACID-FREE SEWER WITH LARGE

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM ACIDS AND BASES. Other Precautions: NONE

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SAFETY GLASSES.

Other Protective Equipm

ent:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS CHEMICAL FORMULATION HAS A MODERATE BIOLOGICAL OXYGEN DEMAND, AND IT MAY CAUSE SOME OXYGEN DEPLETION IN AQUATIC SYSTEMS. WHEN DILUTED WITH A LARGE AMOUNT OF WATER, THIS CHEMICAL FORMYLATION RELEA SED DIRECTLY OR INDIRECTLY INTO THE ENVIRONMENT IS NOT EXPECTED TO HAVE

A SIGNIFICANT IMPACT.

HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 MMHG Vapor Density:0.6 Spec Gravity:1.3 pH:5.3 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS SOLUTION; SLIGHT AMMONICAL ODOR. Percent Volatiles by Volume:50

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND BASES. Stability Condition to Avoid:NONE SP

## ECIFIED BY MANUFACTURER. Hazardous Decomposition Products:SULFUR DIOXIDE AND AMMONIA.

## Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MUST BE MADE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner what soever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.