View NSN Online: https://aerobasegroup.de/nsn/6850-00-418-4503

NCH CORP DIV OF PLUMBMASTER INC -- EXADERM AEROSOL -- 6850-00-418-4503

Product ID: EXADERM AEROSOL

MSDS Date:11/13/1990

FSC:6850

NIIN:00-418-4503

MSDS Number: BLWBM === Responsible Party ===

Company Name: NCH CORP DIV OF PLUMBMASTER INC

Address:2727 CHEMSEARCH BLVD

Box:152170 City:IRVING State:TX ZIP:75015 Country:US

Info Phone Num:214-438-1381

Emergency Phone Num:

214-438-1381 CAGE:FO113

=== Contractor Identification ===

Company Name: NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170 City:IRVING State:TX

ZIP:75015-2170

Country:US

Phone:972-438-0563

CAGE:20913

Company Name: NCH CORP DIV OF PLUMBMASTER INC

Address:2727 CHEMSEARCH BLVD

Box:152170 City:IRVING State:TX ZIP:75015 Country:US

Phone:214-438-1381

CAGE:FO113

====== Composition/Information on Ingredients ========

Ingred Name:PROPYLENE GLYCOL

CAS:57-55-6

RTECS #:TY2000000 Other REC Limits

========== Hazards Identification ============
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY BE IRRITATING TO THE EYES. MASSIVE CHRONIC INGESTION MAY CAUSE SLIGHT LIVER DAMAGE. Effects of Overexposure:MAY CAUSE VOMITING AND DIARRHEA IF INGESTED IN LARGE QUANTITIES. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
====== First Aid Measures ====================================
First Aid:EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 10 MIN., LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET MEDICAL ATTENTION. INGESTION: GIVE 2 GLASSES OF WATER IND INDUCE VOMITING IF VICTIM IS CONSC IOUS. SEE A PHYSICIAN.
============ Fire Fighting Measures ==============
Flash Point:NON-FLAMMABLE Extinguishing Media:FOAM, ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY. Fire Fighting Pro
Fire Fighting Pro cedures: USE WATER SPRAY TO COOL EXPOSED PRESSURIZED CONTAINERS. USE EXTINGUISHING MEDIA AS APPROPRIATE FOR SURROUNDING CONDITIONS. Linuxual Fire (Explanion Hazard) NONE SPECIFIED BY MANUFACTURED.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
========== Accidental Release Measures ==========
Spill Release Procedures:AEROSOL PACKAGE, SO SPILL IS UNLIKELY. WIPE UP MATERIAL AND PLACE IN CONTAINER. WASH AREA WITH SOAP AND WATER. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE BETWEEN 35F AND 100F. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Ventilation:GENERAL EXHAUST IS MORE THAN SUFFICIENT TO PROTECT USER FROM EXPOSURE TO LEVELS GREATER THAN PERMISSIBLE EXPOSURE LIMIT. Work Hygienic Practices:WASH HANDS AFTER USING THIS PRODUCT. Supplemental Safety and Health NONE
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:210F,99C

:NONE SPECIFIED

Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.005 pH:9

Evaporation Rate & Reference: 0.10 (N-BUTYL ACETATE=1)

Solubility in Water: COMPLETE

Appearance and Odor:SEMI-VISCOUS, OPAQUE WHITE MATERIAL WITH A FLORAL ODOR.

Percent Volatiles by Volume:86

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:OXIDES
OF CARBON.

======= Disposal Considerations =============

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE AEROSOL CANS. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.