View NSN Online: https://aerobasegroup.de/nsn/8030-01-046-4475 NATIONAL CHEMSEARCH DIV -- AR-19, 0085 -- 8030-01-046-4475 ============ Product Identification ========================= Product ID:AR-19, 0085 MSDS Date:11/11/1987 FSC:8030 NIIN:01-046-4475 MSDS Number: BLWCW === Responsible Party === Company Name: NATIONAL CHEMSEARCH DIV Box:152170 City:IRVING State:TX ZIP:75015 Country:US Info Phone Num:214-438-4144 Emergency Phone Num:214-438-4144 Preparer's Name: MARK COHEN CAGE:DO481 = Contractor Identification === Company Name: NATIONAL CHEMSEARCH DIV OF NCH CORP Address:2727 CHEMSEARCH BLVD Box:152170 City: IRVING State:TX ZIP:75015-5000 Country:US Phone:972-438-1381 CAGE:DO481 Company Name: NCH CORP Address:2727 CHEMSEARCH BLVD Box:152170 City: IRVING State:TX ZIP:75015-2170

Country:US

Phone:972-438-0563

CAGE:20913

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL; (ISOPROPANOL)

CAS:67-63-0

RTECS #:NT8050000 OSHA PEL:400 PPM;

500 PPM STEL ACGIH TLV:400 PPM;500 PPM STEL ========= Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:EXPOSURE TO LOW CONCENTRATIONS OF MIXTURE MAY RESULT IN MILD IRRITATION TO EYE/SKIN TISSUE. CHRONIC:PRLNGD CONTACT CAN CAUSE APPRECIABLE IRRITATION TO EYES, LEADING TO CORNEA L OPACITY IN SEPARAT ED SEVERE EXPOS. INGESTION/INHALATION OF LARGE QUANTITIES OF VAPOR MAY CAUSE FLUSHING, HEADACHE, (SEE EFTS OF OVEREXP) Explanation of Carcinogenicity: NOT RELEVANT Effects of Overexposure: HLTH HAZ: DIZZINESS, MENTAL DEPRESSION, NAUSEA, VOMITING, NARCOSIS, ANESTHESIA, COMA. 100ML CAN BE FATAL. Medical Cond Aggravated by Exposure: PERSONS W/SKIN CONDITIONS CAN BE AGGRAVATED BY EXPOSURE. First A id:INHAL:REMOVE FROM AREA TO FRESH AIR. GET MD IF IRRIT PERSISTS. EYE:GET MD IMMED. FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MIN HOLDING LIDS APART TO ENSURE FLUSHING OF ENTIRE EYE SURF. SKIN:WASH OFF W/P LENTY OF WATER. APPLY EMOLLIENT RICH CREAM IF IRRIT PERSISTS. INGEST:DO NOT INDUCE VOMIT. GIVE LG QTYS OF WATER. IF AVAIL, GIVE SEVERAL GLASSES OF CITRUS JUICE. NEVER GIVE ANYTHING BY MOUTH(SUPP DATA) Flash Point Method:TOC Flash Point:78.0F,25.6C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . USE WATER SPRAY TO COOL FIRE EXPOSED

SURFACES.

Unusual Fire/Explosion Hazard:WARNING:FLAMMABLE. KEEP AWAY FROM, SPARKS & OPEN FLAME.

======== Accidental Release Measures ===========

Spill Release Procedures:SML:TAKE UP W/ABSORB MATL & PLACE IN NON-LEAKING CNTNRS SEALED TIGHT

EVACUATE HAZ AREA OF UNPROTECTED PERS. WEAR APPROP NIOSH/MSHA APPRVD RESP & PROT CLTHG. SHUT OF F SOURCE OF LEAK IF SAFE TO DO SO. (SUPP DATA) Neutralizing Agent: LARGE AMOUNTS OF WATER. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP IN COOL, DRY PLACE. KEEP OUT OF REACH OF CHILDREN. READ ENTIRE LABEL BEFORE USING PRODUCT. STORAGE TEMP:120F-MAX; 32F-MIN;STORE INDOORS/OUTDOORS. Oth er Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: IF EXPOSURE MAY/DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS USE A NIOSH/MSHA APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. USE EITHER A FULL-FACE ATMOSPHERE-SUPPLYING RESPIRATOR OR AIR-PURIFYING RESPIRATO R FOR ORGANIC VAPORS. Ventilation: AREAS OF USE W/ADEQUATE VENTILATIONS SHOULD BE SUFFICIENT IN USE AS A GLASS CLEANER. Protective Gloves: IMPERV **IOUS GLOVES.** Eye Protection: CHEMICAL WORKERS GOGGLES . Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health FIRST AID PROC:TO UNCONSCIOUS PERSON. GET MD IMMEDIATELY. SPILL PROC:CONTAIN SPILL. PUMP TO STORAGE VESSEL. FLUSH AREA. ======== Physical/Chemical Properties ============ Boiling Pt:B.P. Text:175F,79C Vapor Pres:25 Vapor Density:2 Spec Gravity:0.955 pH:6 Evaporation Rate & Description Rate & Reference: 1.6 (BUTYL ACETATE = 1) Solubility in Water:C **OMPLETE** Appearance and Odor:TRANSPARENT, MILKY WHITE COLOR W/ISOPROPANOL ODOR. Percent Volatiles by Volume:96 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid: KEEP AWAY FROM HEAT AND OPEN FLAME. Hazardous Decomposition Products:CO POSSIBLE ======= Disposal Considerations ============================= Waste Disposal Methods: DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS CONCERNING HEALTH

FOR PROPER DISP. LG:WARNING, FLAMM.

POLLUTION. USE NON-LEAKING CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of t his information to their particular situation.