

CONTINENTAL CHEMICAL CORP -- PETROLATUM, TECHNICAL -- 9150-00-250-0926

=====
Product Identification
=====

Product ID:PETROLATUM, TECHNICAL

MSDS Date:01/01/1987

FSC:9150

NIIN:00-250-0926

MSDS Number: BLWGC

=== Responsible Party ===

Company Name:CONTINENTAL CHEMICAL CORP

Address:1330 BEECH STREET

Box:994

City:TERRE HAUTE

State:IN

ZIP:47808

Country:US

Info Phone Num:812-235-8035

Emergency Phone Num:

812-235-8035

Preparer's Name:DGSC-SSH

CAGE:23894

=== Contractor Identification ===

Company Name:CONTINENTAL CHEM CORP

Address:1330 BEECH STREET

Box:City:TERRE HAUTE

State:IN

Country:US

CAGE:23894

=====
Composition/Information on Ingredients
=====

Ingred Name:GREASE, PETROLEUM

CAS:8009-03-8

Other REC Limits:5 MG/M3 AS OIL MIST

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT KNOWN

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YE

S

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION, SKIN IRRITATION, RESPIRATORY TRACT IRRITATION OR GASTROINTESTINAL DISTURBANCES IF INHALED IN THE FORM OF VAPOR OR MIST.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO KNOWN INGREDIENTS THAT ARE CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:INHALATION: OVEREXPOSURE MAY LEAD TO RESPIRATORY IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, DIARRHEA AND POSSIBLY UNCONSCIOUSNESS. EYES: CAUSES MILD IRRITATION ON CONTACT. VAPORS MAY CAUSE TEARS/IRRITATION. SKIN: COMPONENTS ARE UNLIKELY TO BE ABSORBED BUT MAY CAUSE IRRITATION TO SKIN SURFACE.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYES & SKIN: FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15 - 20 MINUTES. SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:390F,199C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT WHEN FIGHTING

CHEMICAL FIRES. USE

WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED.

Unusual Fire/Explosion Hazard:WATER SPRAY IS UNSUITABLE AS AN EXTINGUISHING AGENT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. CONTAIN FREE MATERIAL IF POSSIBLE. USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====
===== Handling and Storage =====

Handling and

Storage Precautions:STORE IN A COOL, DRY AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. PRODUCT WILL MELT IF HEATED.

Other Precautions:DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO
RALLY NOT REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST AS REQUIRED IF ABOVE PEL/TLV.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:NEOPRENE, NITRILE OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supple

mental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:650F,343C

Melt/Freeze Pt:M.P/F.P Text:115F,46C

Spec Gravity:0.815 - 0.880

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS TO AMBER; ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRO

NG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:UPON COMBUSTION CARBON MONOXIDE AND CARBON DIOXIDE ARE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulat

ed for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.