

VINELAND WAX SPECIALITIES, INC. -- WAX PARAFFIN -- 9160-00-285-2044

=====  
Product Identification  
=====

Product ID:WAX PARAFFIN

MSDS Date:01/01/1990

FSC:9160

NIIN:00-285-2044

MSDS Number: BMBVL

=== Responsible Party ===

Company Name:VINELAND WAX SPECIALITIES, INC.

Address:S RAILROAD BLVD.

City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Info Phone Num:609-697-3152

Emergency Phone Num:609-697-3152

Prepa

rer's Name:DGSC/SSH

CAGE:63400

=== Contractor Identification ===

Company Name:VINELAND WAX SPECIALTIES INC WAX PROCESSING

Address:S RAILROAD BLVD

Box:City:MINOTOLA

State:NJ

ZIP:08341

Country:US

Phone:609-697-3941 (OUT OF BUSINESS)

CAGE:63400

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CLAY TREATED PARAFFIN WAX

CAS:8002-74-2

RTECS #:RV0350000

Fraction by Wt: >99%

OSHA PEL:2 MG/CUM

ACGIH TLV:2 MG/CUM

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES/SKIN: IRRITATION. INHALATION:  
IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION: IRRITATION.  
Effects of Overexposure:EYES/SKIN: THERMAL BURNS. INHALATION: NAUSEA.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 1  
5 MIN. SKIN: COOL HOT MELTED WAX IN  
WATER. DON'T USE SOLVENTS, CAN BE REMOVED W/VEGETABLE/ MINERAL OIL.  
INHALATION: REMOVE TO FRESH AIR, GIVE CPR IF NOT BREATHING.  
INGESTION: IF CONSCIOUS, INDUCE VOMITING BY GIVING 2 GLASSES OF  
WATER & STICKING A FINGER DOWN THE THROAT. DON'T GIVE ANYTHING BY  
MOUTH TO AN UNCONSCIOUS/CONVULSING PERSON. OBTAIN MEDICAL ATTENTION  
IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash P  
oint:465F,241C  
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, & CARBON DIOXIDE.  
Fire Fighting Procedures:DON'T USE WATER STREAM TO EXTINGUISH WAX FIRES  
AS WATER MAY BOIL VIOLENTLY CAUSING AN EXPLOSION OF HOT WAX.  
Unusual Fire/Explosion Hazard:WAX MAY CATCH FIRE WHEN MELTED.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ALLOW LIQUID TO  
COOL & SOLIDIFY. SWEEP/SHOVEL INTO DOT-APPROVED CONTAINERS.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP  
CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DON'T USE PRESSURE TO  
EMPTY CONTAINER. DON'T GET IN EYES/SKIN OR ON CLOTHING.  
Other Precautions:CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL  
RETAIN PRODUCT RESIDUE & VAPORS. ALWAYS OBEY HAZARD WARNINGS &  
HANDLE EMPTY CONATINERS AS IF THEY WERE FULL. ALWAYS MELT WAX OVER  
WATER, PREFERABLY A DOUBLE BOILER.

==

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH-APPROVED CANNISTER RESPIRATOR IN THE ABSENCE OF ADEQUATE ENVIRONMENTAL CONTROLS.

Ventilation:LOCAL & MECHANICAL EXHAUST RECOMMENDED.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:LONG-SLEEVED SHIRT, TROUSERS, SAFETY SHOES, RUBBER BOOTS, RUBBER APRON & EYEWASH/SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety an

d Health

NONE

===== Physical/Chemical Properties =====

HCC:F8

Melt/Freeze Pt:M.P/F.P Text:145F,63C

Vapor Pres:20

Spec Gravity:0.92

Solubility in Water:INSOLUBLE

Appearance and Odor:TRANSLUCENT SOLID, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATERIALS, ALL OTHER CHEMICALS & POTENTIAL SOURCES OF CONTAMINATION.

Stability Condition to Avoid:OPEN FLAME & EXPOSED-COIL HOT PLATES.

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:EMPTY CONTAINERS CAN HAVE RESIDUES, GASES & MISTS THAT ARE SUBJECT TO PROPER WASTE DISPOSAL APPROPRIATE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of

America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.