

ALPHA ASSOCIATES INC -- ALPHA MARITEX STYLE #2025/9480 -- 4730-00-085-1715

=====  
Product Identification  
=====

Product ID:ALPHA MARITEX STYLE #2025/9480

MSDS Date:08/27/1993

FSC:4730

NIIN:00-085-1715

MSDS Number: BMBZK

=== Responsible Party ===

Company Name:ALPHA ASSOCIATES INC

Address:AMBOY AVENUE

Box:128

City:WOODBIDGE

State:NJ

ZIP:07095

Country:US

Info Phone Num:800-631-5399

Emergency Phone Nu

m:800-631-5399

CAGE:09079

=== Contractor Identification ===

Company Name:ALPHA ASSOCIATES INC

Address:AMBOY AVENUE

Box:128

City:WOODBIDGE

State:NJ

ZIP:07095

Country:US

Phone:800-631-5399

CAGE:09079

=====  
Composition/Information on Ingredients  
=====

Ingred Name:FIBROUS GLASS

Other REC Limits:NONE SPECIFIED

OSHA PEL:10 MG/M3,TDUST

ACGIH TLV:10 MG/M3 TDUST 9192

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Inges

tion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE IRRITATION AND RESPIRATORY TRACT IRRITATION MAY OCCUR THROUGH NUISANCE DUST.

Explanation of Carcinogenicity:THIS MATERIAL IS NOT A KNOWN CARCINOGEN.

Effects of Overexposure:RASPY THROAT, REDNESS AND IRRITATION OF THE SKIN.

Medical Cond Aggravated by Exposure:PERSONS WITH PREEXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE TO PRODUCT DUST.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNT OF WATER. SKIN: WASH AREA WITH SOAP AND WATER. INHALATION: MOVE PERSON TO FRESH AIR. IF ANY OF ABOVE CONDITIONS PERSISTS, GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TOC

Flash Point:>482F,>250C

Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:NONE KNOWN

Unusual Fire/Expl

losion Hazard:NONE KNOWN

=====  
Accidental Release Measures  
=====

Spill Release Procedures:NOT APPLICABLE. MATERIAL IS A SOLID.

Neutralizing Agent:NOT APPLICABLE FOR THIS MATERIAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE KNOWN

Other Precautions:USE ADEQUATE MATERIAL HANDLING EQUIPMENT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WEAR DUST MASK WHEN CUTT

ING THIS MATERIAL.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:COTTON GLOVES

Eye Protection:SAFETY GLASSES SHOULD ALWAYS BE WORN.

Other Protective Equipment:WEAR LONG SLEEVES TO KEEP FROM IRRITATING SKIN.

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL AND BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health  
DO NOT BREATH DUST.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:>10

00F,>538

Spec Gravity:2.54

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FIBROUS GLASS CLOTH, TAN COLOR ON ONE SIDE,  
ALUMINUM ON OTHER. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:HYDROGEN CHLORIDE, CARBON MONOXIDE,  
CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Dis

posal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.

DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS. MANUFACTURER SUGGESTS BURIAL IN FEDERAL OR STATE  
APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims

all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.