

CASTROL INC -- BRAYCO 885 -- 9150-00-257-5449

=====  
Product Identification  
=====

Product ID:BRAYCO 885

MSDS Date:11/22/1988

FSC:9150

NIIN:00-257-5449

MSDS Number: BMDPK

=== Responsible Party ===

Company Name:CASTROL INC

Address:1925 N MARIANNA AVE

City:LOS ANGELES

State:CA

ZIP:90032-4007

Country:US

Info Phone Num:714-660-9414

Emergency Phone Num:714-660-9414, CHEMTREC 800-424-9300

CAGE:98308

===

Contractor Identification ===

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC.

Address:5511 DISTRICT BLVD

Box:City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Phone:213-890-4420

CAGE:98308

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON- HAZARDOUS INGREDIENTS. (CHEMICAL FAMILY:SYNTHETIC  
ESTER, DISSOLVED ORGANIC COMPOUND MIXTURE.)

Other REC Limits:5 MG/M3 OIL MIST

=====  
Hazards Identification  
=====

Routes of Entry: In

halation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INGESTION:LOW TOXICITY. MAY

CAUSE VOMITING AND DIARRHEA. SMALL AMOUNT ASPIRATED INTO LUNGS WILL CAUSE LUNG INJURY. INHALATION:INHALATION OF MIST/VAPORS/FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION. EYE:IRRITATION. SKIN:REPEATED CONTACT MAY CAUSE IRRITATION. CHRONIC:NONE ANTICIPATED.

Explanation of Carcinogenicity:THE COMPONENTS OF THIS PRODUCT HAVE NOT

SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:SKIN, EYE AND RESPIRATORY IRRITATION., REDNESS AND TEARING OF EYE, VOMITING AND DIARRHEA.

Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN AND PULMONARY DISORDERS SHOULD USE CAUTION WHEN HANDLING OR USING THIS PRODUCT.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INH

ALATION:REMOVE TO

FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION.

EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION:GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:450F,232C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Pr

ocedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A

FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. WATER OR FOAM MAY CAUSE FROTHING.

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW. RECOVER BY VACUUMING. WIPE OR MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTH

ER INERT MATERIAL. STORE  
IN APPROPRIATE CONTAINER FOR DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID STORAGE NEAR OPEN FLAME OR OTHER  
SOURCES OF IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS.  
PROPER FOOTWEAR REQUIRED.

Other Precautions:WASH HANDS WITH SOAP AND WATER BEFORE EATING,  
DRINKING, OR SMOKING. DO NOT CREAT MIST AND AVOID INHALING MIST OR  
VAPORS. EMPTY CONTAINERS RETAIN RESIDUE, DO NOT CUT  
OR WELD, THERE  
IS A DANGER OF EXPLOS ION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPORS OR MIST IS  
GENERATED, USE RESPIRATOR APPROVED BY MSHA/NIOSH AS APPROPRIATE.

Ventilation:SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves:NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL

Eye Protection:USE CHEMICAL SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. CHEMICALLY  
RESISTA

NT BOOTS AND APRONS RECOMMENDED.

Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT.

WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK  
AREA.

Supplemental Safety and Health

WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED  
CLOTHING AND LAUNDER BEFORE REUSE. DISCARD CONTAMINATED LEATHER  
GLOVES AND SHOES.

=====  
Physical/Chemical Properties  
=====

HCC:V6

Boiling Pt:B.P. Text:>500F,>260C

Spec Gravity:0.93

Solu

bility in Water:NEGLIGIBLE

Appearance and Odor:BROWN LIQUID, MILD ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES  
OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE,  
OXIDES OF SULFUR, SMOKE.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOSE OF WAST

E IN ACCORDANCE WITH LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for  
the suitability of this information to their  
particular situation.