

TEXACO INC CORPORATE HQ -- 00940 REGAL AFB 2 -- 9150-01-313-4779

===== Product Identification =====

Product ID:00940 REGAL AFB 2

MSDS Date:05/13/1992

FSC:9150

NIIN:01-313-4779

MSDS Number: BMGVW

=== Responsible Party ===

Company Name:TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY

ZIP:10604

Country:US

Info Phone Num:914-831-3400 ,914-838-7204

Emergency Phone Num:91

4-831-3400 ,EXT.406

CAGE:59595

=== Contractor Identification ===

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

Company Name:SPENCER BROTHERS INC

Address:RAILROAD AVE

Box:581

City:WAVERLY

State:VA

ZIP:23890

Country:US

Phone:804-834-2322

CAGE:7X705

Company Name:TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY

ZIP:10604

Country:US

Phone:914-253-4000

CAGE:59595

===== Composit

ion/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 50-65%
Other REC Limits:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM
CAS:64742-52-5
RTECS #:PY8035000
Fraction by Wt: 11-20%
Other REC Limits:5 MG/M3 OIL MIST

Ingred Name:HYDROTREATED C25 BRIGHT STOCK BASED LUBRICATING OIL
CAS:72623-83-7
Fraction by Wt
: 11-20%
Other REC Limits:5 MG/M3 OIL MIST

Ingred Name:LITHIUM HYDROXYSTEARATE
CAS:7620-77-1
Fraction by Wt: 4-11%
Other REC Limits:5 MG/M3 OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) = >5000 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CONTACT MAY CAUSE MINIMAL EYE
IRRITATION. NO ADVERSE EFFECTS EXPECTED IF INHALED
OR SMALL AMOUNTS
INGESTED. SWALLOWING LARGE AMOUNTS MAY CAUSE GI TRACT IRRITATION.
INJECTION MAY CAUSE LOCAL TISSUE DAMAGE/INJURY. CHRONIC: PROLONGED
OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYES: REDNESS, TEARING, DISCOMFORT. SKIN:
REDNESS, ITCHING, DEFATTING. INGESTED: NAUSEA, VOMITING, ABDOMINAL
DISCOMFORT

T, DIARRHEA.

Medical Cond Aggravated by Exposure:PROLONGED OR REPEATED EXPOSURE MAY AGGRAVATE AN EXISTING DERMATITIS.

=====
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.
EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. DRINK WATER. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.
Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESP

IRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE

WITH 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND R

ECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:MOBILE LIQUID (GREASE).

Percent Volatiles by Volume:100.0

===== Stability and Reactivity Data =====

Stability I

Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS:

AVOID EXPOSURE TO STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES AND COMBUSTION PRODUCTS OF NITROGEN AND LITHIUM.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL

APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for t

he suitability of this information to their particular situation.