

HACH CO. -- 14163 LITHIUM HYDROXIDE -- 6810-00-559-3261

=====
Product Identification
=====

Product ID:14163 LITHIUM HYDROXIDE

MSDS Date:02/25/1991

FSC:6810

NIIN:00-559-3261

MSDS Number: BMQDS

=== Responsible Party ===

Company Name:HACH CO.

Address:100 DAYTON RD.

Box:907

City:AMES

State:IA

ZIP:50010-6402

Country:US

Info Phone Num:800-227-4224

Emergency Phone Num:515-232-2533

CAGE:4T252

=== Contrac

tor Identification ===

Company Name:HACH COMPANY

Address:100 DAYTON RD.

Box:907

City:AMES

State:IA

ZIP:50010

Country:US

Phone:800-227-4224

CAGE:4T252

=====
Composition/Information on Ingredients
=====

Ingred Name:LITHIUM HYDROXIDE SOLUTION

CAS:1310-65-2

RTECS #:OJ6307070

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 225 MG/KG

Routes of Entry: Inhalation:YES Skin

:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION- IRRITATION OF RESPIRATORY TRACT, BURNS TO MUCOUS MEMBRANES, CENTRAL NERVOUS SYSTEM DERESSION. EYES- IRRITATION, BURNS. SKIN- IRRITATION, BURNS. INGESTION- CENTRAL NERVOUS SYSTEM DEP RESSION, BURNS TO MOUTH AND ESOPHAGUS. CHRONIC: KIDNEY DAMAGE, BONE MARROW DAMAGE (APLASTIC ANEMIA).

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: D

IZZINESS, HEADACHE, COUGHING,

WHEEZING, CHEST PAIN. EYES: REDNESS, TEARING, BURNS. SKIN: REDNESS, RASH, BURNS. INGESTION: NAUSEA, VOMITING, DIZZINESS, STOMACH PAIN.

Medical Cond Aggravated by Exposure:PREEXISTING RESPIRATORY DISEASES, SKIN DISORDERS, EYE CONDITIONS.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NEEDED. SKIN: FLUSH WITH WATER; REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WAT

ER. SEE DOCTOR. EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. I NGESTION: DO NOT INDUCE VOMITING! GIVE 1-2 GLASSES OF WATER TO CONSCIOUS PERSON. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:DRY CHEMICAL, ALCOHOL FOAM, OR CARBON DIOXIDE

Fire Fighting Procedures:WEAR USE NIOSH/MSHA APPROVED RESPIRATOR AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:MAY EMIT TOXIC OR IRRITATING FUMES IN

FIRE OR ON CONTACT WITH ACIDS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. NEUTRALIZE. SCOOP MATERIAL INTO CONTAINER FOR DISPOSAL. MOP FLOOR WITH WATER AND SOAP/CLEANER.

Neutralizing Agent:5 % ACETIC ACID.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM ACIDS. WEAR PROPER PROTECTIVE CLOTHING.

Other Precautions:DO NOT BREATH DUST. AVOID CONT

ACT WITH EYES, SKIN AND CLOTHING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF PEL/TLV EXCEEDED USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUST/MISTS CARTRIDGE.

Ventilation:USE ADEQUATE LOCAL VENTILATION (FUME HOOD).

Protective Gloves:PVC AND NEOPRENE

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:CLOTHING TO PREVENT PROLONGED OR REPEATED CONTACT. EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:B3

Melt/Freeze Pt:M.P/F.P Text:880F,471C

Spec Gravity:2.54

pH:>11

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE POWDER WITH SUFFOCATING ODOR

Corrosion Rate:.23(AL)

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG MINERA

L ACIDS, METALS, COMBUSTIBLES, AND WATER.

Stability Condition to Avoid:CONTACT WITH INCOMPATIBLES, EXTREME TEMPREATURES AND MOISTURE.

Hazardous Decomposition Products:OXIDES OF LITHIUM

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of

Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.