

=====
===== Product Identification =====

Product ID:RED GLPT VARNISH 10-9002, 10-9003, 10-9008

MSDS Date:01/01/1987

FSC:5970

NIIN:00-901-5331

MSDS Number: BMQTD

=== Responsible Party ===

Company Name:G. C. ELECTRONICS

Address:1801 MORGAN ST

Box:1209

City:ROCKFORD

State:IL

ZIP:61105-1209

Country:US

Info Phone Num:815-968-9661

Emergency Phone Num:815-968-9661

CAGE:80112

=== Contractor

Identification ===

Company Name:G. C. ELECTRONICS

Address:1801 MORGAN ST

Box:1209

City:ROCKFORD

State:IL

ZIP:61105-1209

Country:US

Phone:815-968-9661

CAGE:80112

Company Name:WALLACE-MURRAY CORP,GC ELECTRONICS AUDIOTEX DIV

Address:400 S WYMAN ST

Box:City:ROCKFORD

State:IL

ZIP:61101-1314

Country:US

CAGE:15202

=====
===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 62%

Other REC Limits:N

ONE SPECIFIED
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:PIGMENT (IRON OXIDE CAS 8011-97-0)
Fraction by Wt: 36%
Other REC Limits:NONE SPECIFIED

Ingred Name:AKLYD RESIN
CAS:68459-31-4
Fraction by Wt: 2%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards
Acute and Chronic:VAPORS CAUSE IRRITATION OF EYES, NOSE
& THROAT. IN HIGH CONCENTRATIONS VAPORS ARE ANESTHETIC.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:VAPORS MAY CAUSE NAUSEA, HEADACHE AND VOMITING.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:REMO
VE TO FRESH AIR, FLUSH SKIN AND EYES WITH WATER. IF
DIFFICULTY BREATHING, GET MEDICAL ATTENTION AT ONCE. IF SWALLOWED,
DO NOT INDUCE VOMITING AND GET MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:82.0F,27.8C
Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====

==== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION AND CLEAN UP WITH AN ABSORBENT MATERIAL.

==== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED .KEEP AWAY FROM IGNITION SOURCES. AVOID PROLONGED OR REPEATED BREATHING OF VAPORS OR CONTACT WITH SKIN.

Other Precautions:NONE

==== Exposure Controls/Personal Protection =====

Respiratory P

rotection:IN HIGH CONCENTRATIONS AIR MASK MAY BE REQUIRED.

Ventilation:LOCAL EXHAUST TO PROVIDE ADEQUATE VENTILATION.

Protective Gloves:PLASTIC GLOVES

Eye Protection:SAFETY GLASSES - CHEMICAL SPLASH GOGGLES

Other Protective Equipment:HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health

==== Physical/Chemical Properties =====

HCC:F3

B

Boiling Pt:=140.6C, 285.F

Vapor Pres:10 MMHG

Vapor Density:3.7 AIR=1

Viscosity:65-85

Solubility in Water:NOT SOLUBLE

Appearance and Odor:RED ENAMEL.

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NO

Stability Condition to Avoid:WARM STORAGE--SOURCES OF IGNITION.

Hazardous Decomposition Products:NO

==== Disposal Considerations =====

Waste Disposal Methods:INCINERATE. DISPOSE OF IN ACCORDANCE WITH

APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.