

OHIO METAL WORKING PRODUCTS CO -- BRAZED TUNGSTEN CARBIDE TOOLS --
3455-00-132-0864

=====
Product Identification
=====

Product ID: BRAZED TUNGSTEN CARBIDE TOOLS
MSDS Date: 11/25/1985
FSC: 3455
NIIN: 00-132-0864
MSDS Number: BMSVC
==== Responsible Party ====
Company Name: OHIO METAL WORKING PRODUCTS CO
Address: 2501 WINFIELD WAY NE
City: CANTON
State: OH
ZIP: 44705
Country: US
Info Phone Num: 216-453-8438
Emer
gency Phone Num: 216-453-8438
CAGE: 0BZR8
==== Contractor Identification ====
Company Name: OHIO METAL WORKING PRODUCTS CO
Address: 2501 WINFIELD WAY NE
Box: City: CANTON
State: OH
ZIP: 44705
Country: US
Phone: 216-453-8438
CAGE: 0BZR8

=====
Composition/Information on Ingredients
=====

Ingred Name: TUNGSTEN CARBIDE
CAS: 12070-12-1
Fraction by Wt: 30-97% %
Other REC Limits: NONE SPECIFIED
ACGIH TLV: 5 MG/M3 (AS W)

Ingred Name: COBALT (SARA III) *
CAS: 7440-48-4
RTECS #: GF8750000
Fraction by Wt:

2-30% %
Other REC Limits:0.1 MG/M3
OSHA PEL:0.05 MG/M3 *
ACGIH TLV:0.05 MG/M3;DUST 9192

Ingred Name:TANTALUM CARBIDE
CAS:12070-06-3
Fraction by Wt: 0.1-56%
Other REC Limits:5 MG/M3 (AS TA)

Ingred Name:CHROMIUM CARBIDE
CAS:12012-35-0
Fraction by Wt: 0-10% %
Other REC Limits:1 MG/M3 (AS CR +3)

Ingred Name:CHROMIUM (SARA III) *
CAS:7440-47-3
RTECS #:GB4200000
Fraction by Wt: 0-10% %
Other REC Limits:NONE SPECIFIED
OSHA PEL:1 MG/M3 *
ACGIH TLV:0.5 MG/M3; 9192 *
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NOT PROVIDED BY MANUFACTURER
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN CONTACT: CAN CAUSE IRRITATION OR AN ALLERGIC SKIN RASH DUE TO COBLAT SENSITIZATION. EYE CONTACT: CAN CAUSE IRRITATION. INGESTION: SIGNIFICANT AMOUNTS OF COBALT MAY CAUSE BLOOD, HEART AND OTHER OR GAN PROBLEMS. INHALATION: RESPIRATORY IRRITATION, TRANSIENT OR PERMANENT REPIRATORY DISEASE, OCCUPATIONAL ASTHMA.
Explanation of Carcinogenicity:NONE OF THE COMPONENTS OF THIS CARBIDE HAVE BEEN IDENTIFIED AS KNOWN OR SUSPECTED CARCINOGENS BY NTP, IARC OR OSHA.
Effects of Overexposure:INHALATION: COUGHING, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS, WEIGHT LOSS, LUNG SCARRING, DEATH. SKIN: IRRITATION, RASH. EYES: IRRITATION. INGESTION: BLOOD, HEART AND OTHER ORGAN PROBLEMS.
Medical Cond Agg

ravated by Exposure: CERTAIN PULMONARY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

=====
===== First Aid Measures =====

First Aid: INHALATION: REMOVE FROM EXPOSURE AND SEEK MEDICAL ATTENTION.
SKIN CONTACT: THOROUGHLY WASH AFFECTED AREA WITH SOAP AND WATER AND ISOLATE FROM EXPOSURE. IF IRRITATION OR RASH PERSISTS, SEEK MEDICAL ATTENTION. EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. INGESTION: DILUTE WITH A LARGE AMOUNT OF WATER, INDUCE VOMITING AND SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point: NONE
Extinguishing Media: FOR POWDER FIRES USE DRY SAND, DRY DOLOMITE, DRY GRAPHITE POWDER
Fire Fighting Procedures: FOR A POWDER FIRE CONFINED TO A SMALL AREA, USE A RESPIRATOR APPROVED FOR DUSTS AND FUMES. FOR A LARGE FIRE, FIRE FIGHTERS SHOULD WEAR SCBA.
Unusual Fire/Explosion Hazard: DUSTS MAY PRESENT A FIRE OR EXPLOSION HAZARD UNDER RARE FAVORING CONDITIONS OF PARTICLE SIZE, DISPERSION AND STRONG IGNITION SOURCE. NOT NORMAL.

=====
===== Accidental Release Measures =====

Spill Release Procedures: VENTILATE AREA OF SPILL. CLEAN UP USING METHODS WHICH AVOID DUST GENERATION SUCH AS VACUUM (WITH APPROPRIATE FILTER TO PREVENT AIRBORNE DUST LEVELS WHICH EXCEED PEL OR TLV), WET DUST MOP OR WET CLEAN-UP.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions: MAINTAIN GOOD HOUSEKEEPING PROCEDURES TO PREVENT DUST ACCUMULATION DURING GRINDING. AVOID DUST INHALATION AND DIRECT SKIN CONTACT WITH DUST.
Other Precautions: CLEANUP USING METHODS WHICH AVOID DUST GENERATION. SUCH AS VACUUM (WITH APPROPRIATE FILTER TO PREVENT AIRBORNE DUST LEVELS WHICH EXCEED THE PEL OR TLV), WET DUST MOP OR WET CLEAN-UP.

=====
===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:USE AN APPROPRIATE NIOSH APPROVED RESPIRATOR IF AIRBORNE DUST CONCENTRATIONS EXCEED APPROPRIATE PEL OR TOV. ALL APPROPRIATE REQUIREMENTS SET FORTH IN 29CFR1910.134 SHOULD BE MET.

Ventilation:USE LOCAL EXHAUST VENTILATION WHICH IS ADEQUATE TO LIMIT PERSONAL EXPOSURE TO RESPIRABLE AIRBORNE SUT TO LESS THAN TLV.

Protective Gloves:PROTECTIVE GLOVES OR BARRIER CREAM

Eye Protection:SAFETY GLASSES/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING, BEFORE EATING OR SMOKING. WASH EXPOSED SKIN AT THE END OF WORK SHIFT.

Supplemental Safety and Health

DO NOT SHAKE CLOTHING, RAGS OR OTHER ITEMS TO REMOVE DUST. DUST SHOULD BE REMOVED BY WASHING OR VACUUMING (WITH APPROPRIATE FILTERS) THE CLOTHING, RAGS OR OTHER ITEMS. PERIODIC MEDICAL EXAMINATIONS ARE RECOMMENDED FOR INDIVIDUALS REGULARLY EXPOSED TO DUST OR MIST.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:5198F,2870C

Spec Gravity:9.5-15.5

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK GREY METAL, NO ODOR

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPROPRIATE GOVERNMENT REGULATIONS. MAY BE SOLD AS SCRAP FOR RECLAIM.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

d

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.