View NSN Online: https://aerobasegroup.de/nsn/9150-00-186-6699

SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP -- SC 844 5127, MIL-L-46152 10 W 30 -- 9150-00-186-6699

Product ID:SC 844 5127,MIL-L-46152 10 W 30

MSDS Date:11/10/1987

FSC:9150

NIIN:00-186-6699

MSDS Number: BMTVN === Responsible Party ===

Company Name: SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP

Address:1400 S HARRISON

Box:1974 City:OLATHE State:KS ZIP:66061 Country:

US

Info Phone Num:913-782-5800

Emergency Phone Num:913-782-5800/800-424-9300(CHEMTREC)

Preparer's Name: RAY LAWSON

CAGE:70878

=== Contractor Identification ===

Company Name: EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974 City:OLATHE State:KS ZIP:66061 Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

====== Composition/Information on Ingredients ========

Ingred Name: "NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

===

======================================
LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE/CHRONIC- NONE WHEN USED WITH GOOD PERSONAL HYGIENE PRACTICES. MAY OTHERWISE CAUSE SKIN AND EYE IRRITATION UPON PROLONGED OR REPEATED CONTACT. INHALATION OR INGESTION MAY BE HARMFUL. Effects of Overexposure:PROLONGED OR REP EATED EYE OR SKIN CONTACT MAY CAUSE IRRITATION. Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.
======================================
First Aid:GET MEDICAL ATTENTION.INHALATION:REMOVE TO FRESH AIR.PROVIDE OXYGEN IF NEEDED.INGESTION:DO NOT INDUCE VOMITING.CALL A PHYSICIAN IMMEDIATELY.EYE:FLUSH WITH WATER FOR 15 MINUTES,HOLDING EYELIDS OPEN.SKI N:WIPE EXCESS OFF.WASH SKIN WITH SOAP &W ATER.
======================================
Flash Point Method:COC Flash Point:>401F,>205C Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, SAND/EARTH. WATER MAY CAUSE FROTHING. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:DENSE SMOKE
======================================
Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH APP ROPRIATE CLEANER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORAGE-KEEP CONTAINER CLOSED UNTIL READY FOR USE. Other Precautions:MINIMIZE SKIN CO

NTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, THAT CANNOT BE CLEANED. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED RESPIRATOR IF NEEDED. Ventilation: WORK IN A WELL VENTILATED AREA. Protective Gloves: OIL RESISTANT/RUBBER OR PLASTIC Ε ye Protection: CHEMICAL GOGGLES & FULL FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:V6 Spec Gravity:0.879 Viscosity:100 SUS @100F Solubility in Water: NEGLIGIBLE Appearance and Odor: AMBER COLOR LIQUID - MINERAL OIL ODOR ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS SUCH AS HYDROGEN PEROXIDE, BROMINE AND CHROMIC ACID Stability Condition to Avoid: HEAT, OPEN FLAMES. PRODUCT IS STABLE UNDER NORMAL CONDITIONS. Hazardous Decomposition Products: CARBON MONOXIDE & DIOXIDE, OXIDES OF

PHOSPHORUS, SULFUR, NITROGEN, ZINC

====== Disposal Consideration

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.