View NSN Online: https://aerobasegroup.de/nsn/6830-00-935-9896

ALLIED CHEMICAL INDUSTRIAL CHEM DIV -- GENETRON 22 CHLORODIFLUOROMETHANE

6830-00-935-9896

============ Product Identification ===============

Product ID:GENETRON 22 CHLORODIFLUOROMETHANE

MSDS Date:03/01/1982

FSC:6830

NIIN:00-935-9896

MSDS Number: BMTXY === Responsible Party ===

Company Name: ALLIED CHEMICAL INDUSTRIAL CHEM DIV

Address: COLUMBIA RD & PARK AVE

Box:1139R

City:MORRISTOWN

State:NJ ZIP:07960 Country:US

Info Phone Num:201-455-2000

Emergency Phone Num:201-455-2000

CAGE:72658

=== Contractor Identification ===

Company Name: ALLIED CHEMICAL INDUSTRIAL CHEM DIV

Address: COLUMBIA RD & PARK AVE

Box:City:MORRISTOWN

State:NJ ZIP:07960 Country:US

Phone:201-455-2145

CAGE:72658

Company Name: REFRIGERATION SALES CO INC

Address:38-18 33RD ST Box:City:LONG ISLAND CITY

State:NY

ZIP:11101-2211 Country:US

Phone:800-221-0603

CAGE:3A676

====== Composition/Information on Ingredients ========

Ingred Na

me:CHLORODIFLUOROMETHANE CAS:75-45-6 RTECS #:PA6390000 Fraction by Wt: 100% Other REC Limits: NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000PPM; 9192 Ozone Depleting Chemical:2 ============= Hazards Identification ======================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE-EYES/SKIN: MAY CAUSE FROSTBITE. INHALATION: BREATHING HIGHER CONCENTRATIONS MAY CAUSE ASPHYXIATION, UNCONSCIOUSNESS, NARCOSIS, IRREGULAR HEARTBEAT OR CARDIAC ARREST. CHRONIC-NONE. Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure:LIGHTHEADEDNESS, GIDDINESS, LOSS OF COORDINATION, SHORTNESS OF BREATH, UNCONSCIOUSNESS & DEATH. Medical Cond Aggravated by Exposure: HEART CONDITIONS. First Aid:EYE/SKIN:IMMEDIATELY FLUSH WITH L **UKEWARM WATER FOR 20** MINUTES, SEE DOCTOR, INHALATION: REMOVE TO FRESH AIR, IF NOT BREATHING GIVE CPR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEE DOCTOR IMMEDIATELY. Flash Point:NONE Extinguishing Media: USE EXTINGUISHING AGENTS APPROPRIATE FOR SOURCE OF Fire Fighting Procedures: FIRE FIGHTERS MUST WEAR SPECIAL PERSONAL PROTECTIVE SUITS FOR FIRE/CHEMICAL & POSITIVE PRESSURE SCBA.

FIREFIGHTERS' TURNO

| UT GEAR IS INADEQUATE. Unusual Fire/Explosion Hazard:CYLINDERS EXPOSED TO FIRE MAY RUPTURE WITH VIOLENT FORCE. EXTINGUISH SURROUNDING FIRE. COOL CYLINDERS WITH WATER SPRAY APPLIED FROM THE MAXIMUM DISTANCE. |
|--|
| ======== Accidental Release Measures ========= |
| Spill Release Procedures:RESTRICT ACCESS TO AREA. WEAR PERSONAL PROTECTIVE EQUIPMENT. VENTILATE AREA. ALLOW GAS TO DISSIPATE INTO THE ATMOSPHERE. |
| ====================================== |
| Handling and Storage Precautions:STORE BELOW 120F IN A DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION/HEAT. Other Precautions:NONE |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR |
| SELECTION. Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE. |
| Protective Gloves:NONE |
| Eye Protection:SAFETY GLASSES Other Protective Equipment:EYE BATH., INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT. Work Hygienic Practices:DO NOT SMOKE WHILE USING/WORKING WITH THIS |
| MATERIAL. |
| Supplemental Safety and Health |
| ====================================== |
| HCC:G3 |
| Boiling Pt:B.P. Text:-41F,-41C |
| Melt/Freeze Pt:M.P/F.P Text:-256F,-160C |

Vapor Pres:121.4 PSIG Vapor Density:3.11

| Spec Gravity:1.21 |
|--|
| Evaporation Rate & Deference: GAS |
| Solubility in Water:0.30% BY WEIGHT |
| Appearance and Odor: COLORLESS, LIQUIFIED GAS, ETHEREAL ODOR |
| Percent Volatiles by Volume:100 |
| |

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

SODIUM, POTASSIUM, BARIUM, POWDERED MAGNESIUM, POWDERED ALUMINUM AND ORGANOMETALLICS.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES Hazardous Decomposition Products:HYDROGEN CHLORIDE, HYDROGEN FLUORIDE,

CARBONYL FLUORIDE & PHOSGENE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informat ion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.