

DIGITAL EQUIPMENT CORP -- TAPE DRIVE CLEANING KIT, PART # TUC01, TUC0
7045-01-075-8699

===== Product Identification =====

Product ID:TAPE DRIVE CLEANING KIT, PART # TUC01, TUC0

MSDS Date:07/09/1990

FSC:7045

NIIN:01-075-8699

Kit Part:Y

MSDS Number: BMTYV

=== Responsible Party ===

Company Name:DIGITAL EQUIPMENT CORP

Address:146 MAIN ST

City:MAYNARD

State:MA

ZIP:01754-2504

Country:US

Emergency Pho

ne Num:800-334-4825

CAGE:15476

=== Contractor Identification ===

Company Name:COMPAQ/ FORMERLY KNOWN AS-DIGITAL EQUIPMENT CORP

Address:111 POWDERMILL RD

Box:City:MAYNARD

State:MA

ZIP:01754-2504

Country:US

Phone:508-479-3046

CAGE:15476

===== Composition/Information on Ingredients =====

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA
III)

CAS:76-13-1

RTECS #:KJ4000000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000PPM/1250STEL

ACGIH T

LV:1000PPM/1250STEL9192

Ozone Depleting Chemical:1

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE LOSS OF MANUAL DEXTERITY AND NARCOSIS. CARDIAC SENSITIZATION MAY OCCUR.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS O

F 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALED-REMOVE TO FRESH AIR. SUPPORT BREATHING IF NECESSARY & CONTACT A PHYSICIAN. SKIN-PROMPTLY WASH SKIN WITH SOAP & WATER. IF IRRITATION PERSISTS ASFTER WASHING, CONTACT A PHYSICIAN. EYES-FLUSH WIT H LARGE AMOUNTS

OF WATER FOR AT LEAST 15 MINUTES. SWALLOWED-DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE TO BOILING

Extinguishing Media:NOT AVALIABLE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL SUCH AS VERMICULITE OR DRY SAND. VENTILATE AREA OF LEAK/SPILL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED AND IN COOL, VENTILATED AREA BELOW 125 F. MAY ATTACK SOME PLASTICS, RUBBER AND COATINGS.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:NONE SPECIFIED BY MANUFACTURER.

Other Protective Equipment:NONE SPECIFIED BY MANUFACT

URER.
Work Hygienic Practices:NONE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:118F,48C
Melt/Freeze Pt:M.P/F.P Text:-31F,-35C
Vapor Pres:284 MMHG
Vapor Density:6.5 AIR=1
Spec Gravity:1.55
Evaporation Rate & Reference:>1 (N-BUTYL ACETATE=1)
Solubility in Water:0.17
Appearance and Odor:CLEAR COLORLESS LIQUID.
Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACTIVE METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, CALCIUM.
Stability Condition to Avoid:DECOMPOSED BY FLAME AND RED, HOT SURFACES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, PHOSGENE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF USED PRODUCT AS RUBBISH.

Disclaimer (provided with this information by the compiling agencies):
Th

is information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.