View NSN Online: https://aerobasegroup.de/nsn/6525-01-096-0617

Product ID: PHOTOGRAOPHIC FIXER/REPLENISHER PART B MSDS Date:03/01/1989 FSC:6525 NIIN:01-096-0617 MSDS Number: BMTZF === Responsible Party === Company Name: PICKER INTL INC Address:1 EXPRESSWAY PLZ SUITE 208 City:ROSLYN HEIGHTS State:NY ZIP:11577-2031 Country:US CAGE:MO904 === Contractor Identification === Company Name: PICKER INTERNATIONAL Address:4 ESTERBROOK LANE Box:City:CHERRY HILL State:NJ ZIP:08003 Country:US Phone:609-424-3620;800-424-9300(CHEMTREC) CAGE:47220 Company Name: PICKER INTL INC Address:1 EXPRESSWAY PLZ SUITE 208 Box:City:ROSLYN HEIGHTS State:NY ZIP:11577-2031 Country:US CAGE:MO904

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 25-50% Other REC Limits:NONE SPECIFIED

Ingred

Name:ALUMINUM SULFATE (SARA III) CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 40-70% Other REC Limits:NONE SPECIFIED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY IRRITATE RESPIRATORY TRACT. CHRONIC: NONE KNOWN.

Explanation of C

arcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:SEVERE IRRITATION TO EYES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: IMMEDIATELY FLUSH EYE WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. SKIN: FLUSH WITH PLENTY OF WATER. IF AN ALLERGIC REACTION DEVELOPS. GET MEDICAL ATTENTION.

Flash Point Method:CC Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM, CARBON DIOXIDE. Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN OR EYES.

Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT M

## AY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Handling and Storage Pre cautions:AVOID CONTACT WITH EYE AND SKIN. STORE BETWEEN 10-25 DEG.C.
Other Precautions:EMPTY CONTAINERS (THOSE CONTAINING LESS THAN 3 PERCENT BY WEIGHT OF THE TOTAL CAPACITY OF THE CONTAINER) ARE NOT REGULATED UNDER HAZARDOUS WASTE REGULATIONS AND MAY BE DISPOSED OF IN THE NORMAL MANNER.

Respiratory Protection:WHERE REQUIRED. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NITRILE RUBBER GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:NORMAL FOOTWARE. COVER SKIN. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health

SPECIAL SHIPPING INFORMATION: KEEP ABOVE 4.4 DEG. C.

HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.3 pH:3.5% Solubility in Water:COMPLETE Appearance and Odor:CLEAR, ODORLESS LIQUID. Percent Volatiles by Volume:50%

Stability Indicator/Materials to Avoid:YES BASES (CAUSTICS). Stability Condition to Avoid:EXCESSIVE HEAT. Hazardous Decomposition Products:ABOVE 760 DEG C SULFUR DIOXIDE GASES WHICH ARE OXIDIZERS AND CORROSIVE.

Waste Disposal Methods:NO SPECIFIC METHOD NECESSARY IF NEUTRALIZED. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO CERTAIN GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.