

PELIKAN INC TONER DEVELOPER DIV -- 6080 4000/4500 TONER -- 6850-00-003-5139

=====
Product Identification
=====

Product ID:6080 4000/4500 TONER

MSDS Date:10/19/1987

FSC:6850

NIIN:00-003-5139

MSDS Number: BMWNC

=== Responsible Party ===

Company Name:PELIKAN INC TONER DEVELOPER DIV

Address:1 IMAGING LANE

City:DERRY

State:PA

ZIP:15627

Country:US

Info Phone Num:412-694-2792/800-245-6822

Emergency Phon

e Num:412-694-2792/800-245-6822

CAGE:47811

=== Contractor Identification ===

Company Name:PELIKAN INC TONER DEVELOPER DIV

Address:1 IMAGING LANE

Box:City:DERRY

State:PA

ZIP:15627

Country:US

CAGE:47811

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE N-BUTYLMETHRACYLATE COPOLYMER

CAS:25213-39-2

Other REC Limits:NONE SPECIFIED

Ingred Name:GRAPHITE, SYNTHETIC

CAS:7440-44-0

RTECS #:FF5250100

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:

2 MG/M3 TDUST; 9293

Ingred Name:POLYVINYLDENE FLUORIDE POLYMER

CAS:24973-79-9

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THIS MATERIAL WHEN USED AS INTENDED
DOES NOT REPRESENT A HEALTH OR SAFETY HAZARD.
Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR
AS WITH EXPOSUR
E TO LARGE AMOUNTS OF ANY NON-TOXIC DUST.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK LARGE AMOUNT OF
WATER.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:TONER IS A COMBUSTIBLE POWDER. WHEN
DISPERSED IN AIR IT FORMS EXPLOSIVE MIXTURES. AVOID INHALATION OF
SMOKE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE LOOSE TONER WITH VACUUM CLEANER. REMOVE
RESIDUE WITH SOAP AND WATER. GARMENTS MAY BE WASHED OR DRY CLEANED.

=====
===== Handling and Sto

rage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:DO NOT HANDLE IN AREAS WHERE WIND BLOWS. AVOID INHALATION OF SMOKE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED FOR NORMAL USE.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:NOT REQUIRED FOR NORMAL USE.

Eye Pr

tection:NOT REQUIRED FOR NORMAL USE.

Other Protective Equipment:NONE

Work Hygienic Practices:STANDARD HYGIENIC PRACTICE.

Supplemental Safety and Health

FOR USE OTHER THAN NORMAL, WEAR GOGGLES AND DUST RESPIRATOR.

===== Physical/Chemical Properties =====

HCC:T6

Spec Gravity:1.2

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK POWDER. FAINT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NO

NE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC.

SMOKE, CARBON MONOXIDE, UNIDENTIFIED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:NOTIFY YOUR LOCAL ENVIRONMENTAL OFFICER. DO NOT INCINERATE. NO SPECIAL TECHNIQUES BEYOND NORMAL PRACTICE. INSURE CONFORMITY WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies

):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.