

GATOR SALES INC. -- SOLVENT 140 3% AROMATICS MAX -- 6850-00-110-4498

=====
Product Identification
=====

Product ID:SOLVENT 140 3% AROMATICS MAX

MSDS Date:03/04/1986

FSC:6850

NIIN:00-110-4498

MSDS Number: BMWPW

=== Responsible Party ===

Company Name:GATOR SALES INC.

Address:2719 PHILLIPS HIGHWAY

City:JACKSONVILLE

State:FL

ZIP:32207

Country:US

Info Phone Num:904-399-0901

Emergency Phone Num:904-399

-0901

CAGE:KO100

=== Contractor Identification ===

Company Name:GATOR SALES INC

Address:2719 PHILLIPS HWY

Box:City:JACKSONVILLE

State:FL

ZIP:32207

Country:US

Phone:904-399-0901

CAGE:0A5V1

Company Name:GATOR SALES INC.

Address:2719 PHILLIPS HIGHWAY

Box:City:JACKSONVILLE

State:FL

ZIP:32207

Country:US

Phone:904-399-0901

CAGE:KO100

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA, MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 100%

Other REC Limits:NONE SPE

CIFIED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SEVERE EYE IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: DERMATITIS.
Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYES: REDNESS, TEARING, BLURRED VISION. SKIN: IRRITATION. INHALATION: NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS, DEATH. INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, DIARRHEA, ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS AND DEATH.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== Fir
st Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.IF IRRITATION PERSISTS,SEE DOCTOR. SKIN:WASH WITH MILD SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION:REMOVE VICTIM TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR.
INGESTION:DO NOT INDUCE VOMITING.SEE DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:140F,60C
Lower Limits:1.0
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. VAPORS HEAVIER THAN AIR. CAN TRAVEL ALONG GROUND AND FLASHBACK.

===== Accidental Release Measures =====

=====

Spill Release Procedures:REMOVE PERSONNEL.ELIMINATE IGNITION SOURCES.VENTILATE AREA.WEAR PROTECTIVE CLOTHING AND EQUIPMENT.ABSORB IN INERT MATERIAL AND EVAPORATE UNDER HOOD. PLACE ABSORBANT IN APPROPRIATE DISPOSAL CONTAINER AN D COVER.FLUSH SPILL AREA WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND

INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS. EMPTY CONTAINERS CONTAIN RESIDUE. TREAT THEM AS IF THEY WERE FULL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PE

L.

Protective Gloves:NITRILE RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:365F,1
85C

Vapor Pres:0.50

Vapor Density:5.4

Spec Gravity:0.780

Evaporation Rate & Reference:1.51 (ETHER = 1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID. HYDROCARBON ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOX

IDE,
INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL
REGULATIONS. MANUFACTURER STATES CONTAMINATED ABSORBENT CAN BE
DEPOSITED IN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense

e. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.