

ROLY INTERNATIONAL -- SFA -- 6830-01-288-9925

=====  
Product Identification  
=====

Product ID:SFA  
MSDS Date:12/01/1990  
FSC:6830  
NIIN:01-288-9925  
MSDS Number: BMXDF  
=== Responsible Party ===  
Company Name:ROLY INTERNATIONAL  
Address:2595 KATHERINE AVE  
City:VENTURA  
State:CA  
ZIP:93005  
Country:US  
Info Phone Num:805-644-8664  
Emergency Phone Num:800-424-9300 CHEMTREC  
CAGE:1DJ45  
=== Contractor Identificatio  
n ===  
Company Name:ROLY INTERNATIONAL  
Address:2595 KATHERINE AVE  
Box:5103  
City:VENTURA  
State:CA  
ZIP:93003-6661  
Country:US  
Phone:805-644-8664 (75)  
CAGE:1DJ45

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)  
CAS:75-71-8  
RTECS #:PA8200000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

=====  
Hazards Identification ==

=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION;VAPOR IS HEAVIER THAN AIR  
AND CAN CAUSE SUFFOCIATION BY REDUCING AVAILABLE OXYGEN, BREATHING  
HIGH CONCENTRATIONS OF VAPORMAY CAUSE LIGHtheadness, SHORTNESS OF  
BREATH AND MAY LEAD TO UNCONSC IOUNESS  
Effects of Overexposure:SEE HEALTH HAZARDS  
Medical Cond Aggravated by Exposure:NONE GIVEN

===== First Aid Measures =====

First Aid:R  
REMOVE PERSON TO FRESH AIR,REMOVE SOURCES OF IGNITION.

===== Fire Fighting Measures =====

Flash Point:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:NONE GIVEN  
Fire Fighting Procedures:USUALLY SHIPPED AND STORED AS LIQUIFIED GAS  
UNDER PRESSUR.  
Unusual Fire/Explosion Hazard:MAY DECOMPOSE. HEATED CANS MAY EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, ESPICALLY LOW PLACES WHERE  
HEAVY VAPORS MAY COLLECT. REMOVE ALL SOURCES OF IGNITION.  
Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE ABOVE 80F,DO NOT STORE  
IN DIRECT SUNLIGHT.  
Other Precautions:STOREIN A CLEAN COOL AREA,DO NOT PUNCTURE OR  
INCINERATE CANS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN IN A LARGE SPILL AREA.  
Ventilation:LOCAL  
Protective Gloves:WHEN HANDLIN

G LIQUID

Eye Protection:NA

Other Protective Equipment:NA

Work Hygienic Practices:PRUDENT

Supplemental Safety and Health

NA

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-22F,-30C

Melt/Freeze Pt:M.P/F.P Text:100F,38C

Vapor Pres:84.9

Vapor Density:4.32

Spec Gravity:1.325

Evaporation Rate & Reference:RAPID

Solubility in Water:NEGIBLE

Appearance and Odor:INVISIBLE GAS

===== Stability and Reactivity Data =====

Stabil

ity Indicator/Materials to Avoid:YES

ALKALI OR ALKALINEE EARTH, METAL-POWERED AL,ZINC,BERYLLIUM ETC.

Stability Condition to Avoid:OPEN FLAMES ANH HIGH TEMOERATURE.

Hazardous Decomposition Products:HYDROCHLORIC AND HYDROFLUORIC  
ACIDS-POSSIBLE PHOSGENE.

===== Disposal Considerations =====

Waste Disposal Methods:EVAPORATE OUTDOORS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the

Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.