

HACH CO -- NESSLER REAGENT -- 6810-01-011-7192

===== Product Identification =====

Product ID:NESSLER REAGENT

MSDS Date:12/31/1996

FSC:6810

NIIN:01-011-7192

MSDS Number: BMZGK

=== Responsible Party ===

Company Name:HACH CO

Address:100 DAYTON RD

Box:907

City:AMES

State:IA

ZIP:50010

Country:US

Info Phone Num:303-669-3050/800-227-4224

Emergency Phone Num:515-232-2533, CHEMTREC 800-424-9300

CAGE:4T252

=== Contractor Identification ===

Company Name:ADVANCED INDUSTRIES INC

Address:415 NORTHCUTT STREET

Box:5666

City:LONGVIEW

State:TX

ZIP:75608

Country:US

Phone:214-236-4101

CAGE:0GA21

Company Name:HACH CO

Address:5600 LINDBERGH DR

Box:389

City:LOVELAND

State:CO

ZIP:80539

Country:US

Phone:970-669-3050/ 303-623-5716

CAGE:91224

Company Name:HACH COMPANY

Address:100 DAYTON RD.

Box:907

City:AMES

State:IA

ZIP:50010

Country:US

Phone:800-227-4224

CAGE:4T252

Company Name:KAMPI COMPONENTS CO., INC.

Address

s:210 RT 13
Box:721
City:BRISTOL
State:PA
ZIP:19007-3517
Country:US
Phone:215-736-2000
CAGE:7Z016

=====
Composition/Information on Ingredients
=====

Ingred Name:MERCURIC IODIDE
CAS:7774-29-0
RTECS #:OW5250000
Fraction by Wt: < 15%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.1 MG/M3 (HG)
ACGIH TLV:0.05 MG/M3 (HG)

Ingred Name:SODIUM HYDROXIDE (CERCLA)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: < 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM IODIDE
CAS:7681-82-5
RTECS #:WB6475000
Fraction by Wt: < 10%
Other REC Limits:NONE SPECIFIED

Ingred Name:IODINE
CAS:7553-56-2
RTECS #:NN1575000
Fraction by Wt: < 1%
Other REC Limits:NONE SPECIFIED
OSHA PEL:C 0.1 PPM
ACGIH TLV:C 0.1 PPM; 9596

Ingred Name:WATER, DEMINERALIZED
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: TO 100%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

R

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-MAY CAUSE BURNS TO SKIN AND EYES ON CONTACT. VERY TOXIC TO CENTRAL NERVOUS SYSTEM IF INGESTED OR ABSORBED THROUGH SKIN. CHRONIC- CUMULATIVE POISON. POSSIBLE KIDNEY OR CNS DAMAGE.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:

INGESTION/ABSORPTION: EMOTIONAL INSTABILITY, INSOMNIA, TREMORS IN HANDS, DEPRESSION, AND IRRITABILITY. SKIN/EYES: BURNS, BLISTERS, REDNESS, RASH, TEARING, PAIN.

Medical Condition Aggravated by Exposure:MAY AGGRAVATE ALLERGIES OR SENSITIVITY TO MERCURY; EYE OR SKIN CONDITIONS; DISORDERS OF THE CENTRAL NERVOUS SYSTEM OR KIDNEY.

=====
===== First Aid Measures =====

First Aid:EYE AND SKIN CONTACT:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.REMOVE CONTAMINATED CLOTHING.CALL PHYSICIAN.
INHALATION:REMOVE TO FRESH AIR.CALL PHYSICIAN.INGESTED:DO NOT INDUCE VOMITING.IF CONSCIOUS , DRINK 1-2 GLASSES OF WATER.CALL A PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Extinguishing Media:NOT APPLICABLE. DLA-HMIS:MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:DLA-HMIS: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE EQUIPMENT

WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF TOXIC FUMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DO NOT ALLOW THE MERCURY TO CONTAMINATE AIR OR WATER. SOAK UP SOLUTION WITH INERT MATERIAL. DO NOT BREATHE FUMES. DECONTAMINATE AREA WITH MERCURY ABSORBING COMPOUNDS AVAILABLE COMMERCIALY.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handl

ing and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. DO NOT BREATHE FUMES OR VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation:USE LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, FUME HOOD, LAB GRADE GOGGLES, DISPOSABLE GLOVES, LAB COAT.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

FORMULATION CHANGED

. FOR PREVIOUS FORMULATION, SEE P/N A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:B.P. Text:230F,110C

Spec Gravity:1.265

pH:12.1

Solubility in Water:APPRECIABLE

Appearance and Odor:CLEAR, LIGHT YELLOW LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, ORGANICS, AMMONIA, ALDEHYDES

Stability Condition to Avoid:EXTREME TEMPERATURES AND LIGHT

Hazardous Decomposition Pr

oducts:TOXIC FUMES OF MERCURY, IODINE AND IODINE COMPOUNDS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF ALL MERCURY CONTAMINATED MATERIAL IN AN EPA APPROVED HAZARDOUS WASTE FACILITY. DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. EPA/RCRA HAZWASTE NUMBER D009 (MERCURY)MAY APPLY.

Disclaimer (provided with this information by the compiling agencies):

This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.