View NSN Online: https://aerobasegroup.de/nsn/6850-01-318-3904

CANON U S A INC -- CLC-5007550 TONER RED (MAGENTA)

MSDS Safety Information

MSDS Safety Information
FSC: 6850 NIIN: 01-318-3904 MSDS Date: 08/01/1994 MSDS Num: BMZNQ Product ID: CLC-5007550 TONER RED (MAGENTA) MFN: 01 Responsible Party Cage: 1BA63 Name: CANON U S A INC Address: ONE CANON PLAZA City: LAKE SUCCESS NY 11 040-1113 Info Phone Number: 516-488-6700/516-328-5600 Emergency Phone Number: 516-488-6700/800-424-9300(CHEMTREC) Proprietary Ind: Y Review Ind: Y Published: Y
Contractor Summary
Cage: 1BA63 Name: CANON USA INC Address: ONE CANON PLAZA City: LAKE SUCCESS NY 11042 Phone: 516-328-5600 Cage: 1EE14 Name: MARTIN ASSOCIATES INC Address: 5110 NMCCARTHUR BLVD NW City: WASHINGTON DC 20016-3316 Phone: 202-966-6875
Item Description Information
Item Manager: S9G Item Name: TONER,INDIRECT ELECTROSTATIC PROCESSING Unit of Issue: EA UI Container Qty: 0 Type of Container: PREMIXED UNIT
Ingredients
Name: *** PROPRIETARY ***

Health Hazards Data

_____ LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Route Of Entry Inds - Inhalation: YES Skin: NO Ingestion: YES Carcinogenicity Inds - NTP: YES IARC: YES OSHA: NO Effects of Exposure: INHAL: TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE: NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING THE EYE MAY BE IRRITATING. SKIN: LOW HAZARD FOR INDUSTRIAL HA NDLING. Explanation Of Carcinogenicity: CHROMIUM & amp; CERTAIN COMPOUNDS: IARC GROUP 1, NTP GROUP 1, ACGIH GROUP A1. Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: INHAL: REMOVE FROM EXPOSURE TO FRESH AIR. EYE: OPEN EYE AND FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INGEST: D RINK SEVERAL GLASSES OF WATER. CALL M D. Handling and Disposal _____ Spill Release Procedures: SWEEP MATERIALS ONTO PAPER AND PLACE IN FIBER CARTON. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. ENSURE COMPLIANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATIONS. Handling And Storage Precautions: KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP OUT OF REACH OF CHILDREN. Other Precautions: CHEMICALS REQUIRED TO BE REPORTED UNDER SARA TITLE III, CERCLA: CHROMIUM (III) & amp; COMPOUNDS: 4% WT (MAX), AS CHROMIUM METAL 0.5% WT (MAX). _____ _____ Fire and Explosion Hazard Information _____ Extinguishing Media: WATER, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosio

n Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIALS IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION. ______ **Control Measures** ______ Respiratory Protection: NONE REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves: NONE REQUIRED. Eye Protection: CHEMICAL WORKERS GOGGLES (FP N). Other Protective Equipment: NONE REQUIRED. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER. _____ **Physical/Chemical Properties** _____ HCC: N1 M.P/F.P Text: >212F,>100C Vapor Pres: NEGLIGIBLE Spec Gravity: 1-1.2 (H*2O=1) Evaporation Rate & amp; Reference: NEGLIGIBLE (BUAC=1) Solubility in Water: NEGLIGIBLE Appearance and Odor: SOLID POWDER, RED (MAGENTA). SLIGHT PLASTIC ODOR. Percent Volatiles by Volume: NEGLIG _____ Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER. Materials To Avoid: STRONG OXIDIZERS. Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE. Hazardous Polymeriza tion Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT _____ Toxicological Information _____ **Ecological Information** _____ ______ **MSDS** Transport Information ______

_____ **Regulatory Information** _____ Other Information _____ Transportation Information Responsible Party Cage: 1BA63 Trans ID NO: 124981 Product ID: CLC-5007550 TONER RED (MAGENTA) **MSDS** Prepared Da te: 08/01/1994 Review Date: 06/29/1995 **MFN: 1** Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: EA Container QTY: 0 Type Of Container: PREMIXED UNIT Additional Data: NOT REGULATED FOR TRANSPORTATION _____ Detail DOT Information _____ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION Detail IMO Informa tion ______ IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION _____ Detail IATA Information _____ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ **Detail AFI Information**

AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: CLC-5007550 TONER RED (MAGENTA) Cage: 1BA63 Company Name: CANON USA INC

Street: ONE CANON PLAZA City: LAKE SUCCESS NY

Zipcode: 11042

Health Emergency Phone: 800-424-9300 (CHEMTREC)

Label Required IND: Y

Date Of Label Review: 04/01/1992

Status Code: C

Label

Date: 04/01/1992

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: NON FLAMMABLE SOLID, BUT LIKE MOST ORGANIC MATERIALS IN POWDER FORM IS CAPABLE OF CREATING DUST EXPLOSION. ACUTE: TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. NO OTHER HAZARD KNOWN TO CAN ON. CHRONIC: NONE LISTED BY MFR.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or pers

ons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.