

REPSOL PETROLEO, S.A. -- FUEL NAVAL DISTILLATE (F76) -- 9140-00-274-1912

=====  
Product Identification  
=====

Product ID:FUEL NAVAL DISTILLATE (F76)

MSDS Date:03/16/1992

FSC:9140

NIIN:00-274-1912

MSDS Number: BMZST

=== Responsible Party ===

Company Name:REPSOL PETROLEO, S.A.

Address:VALLE DEESCOMBRERAS

Box:61

City:CARTAGENA

ZIP:30290

Country:YB

Info Phone Num:34-68-12-93-06/394

Emergency Phone Num:

34-68-12-93-06/394

CAGE:KO891

=== Contractor Identification ===

Company Name:DEFENSE FUEL SUPPLY CTR

Box:City:CAMERON STATION

State:VA

ZIP:22314

Country:US

Phone:202-545-6700

CAGE:52838

Company Name:REPSOL OIL INTL LTD

Address:20 GREENVILLE ST

Box:City:ST. HELLIER, JERSEY CHANNEL ISLAND

Country:UK

CAGE:0KST4

Company Name:REPSOL PETROLEO, S.A.

Address:VALLE DEESCOMBRERAS

Box:61

City:CARTAGENA

ZIP:30290

Country:YB

Phone:34-68-12-93-06/394

CAGE:KO891

=====  
Composition/Information on Ingre

dients =====

Ingred Name:DIESEL FUEL  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3 OIL MIST  
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:ADDITIVES: KEROFLUX II  
Other REC Limits:1000 PPM (MFR)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: MODERATE SKIN IRRITATION.  
INHALATION MAY CAUSE IRRITATION TO NOSE, THROAT AN  
D LUNGS, CENTRAL  
NERVOUS SYSTEM EFFECTS. ASPIRATION OF OIL INTO LUNGS AFTER  
INGESTION MAY CAUSE PNEUMONITIS. CHRONIC: EYE AND SKIN IRRITATION,  
DERMATITIS.  
Explanation of Carcinogenicity:MANUFACTURER DID NOT INDICATE THE  
PRESENCE OF CARCINOGENS IN THIS PRODUCT.  
Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA, VOMITING, LOSS OF  
COORDINATION, RASH OF ACNE, PIMPLES AND SPOTS (USUALLY ON ARMS AND  
LEGS).  
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF SKI  
N  
AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF  
IRRITATION PERSISTS, SEE DOCTOR. SKIN: WIPE EXCESS OIL OFF WITH A  
DRY CLOTH. WASH WITH SOAP AND WATER WHILE REMOVING CONTAMINATED  
CLOTHING AND SHOES. INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE  
OXYGEN/CPR IF NEEDED. SEE DOCTOR. INGESTION: DO NOT INDUCE  
VOMITING. SE  
E DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:131F,55C  
Lower Limits:6  
Upper Limits:13.5  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:MODERATELY COMBUSTIBLE. IT CAN BURN IN  
THE OPEN OR BE EXPLOSIVE IN CONFINED SPACES. MIST

S OR SPRAYS MAY BE  
FLAMMABLE AT TEMPERATURES BELOW THE FLASH POINT.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES.  
VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. ABSORB IN  
INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND  
COVER. WASH AREA WITH PLEN TY OF SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precaut

ions:SPECIAL SLOW LOAD PROCEDURES FOR

"SWICH LOADING" MUST BE FOLLOWED TO AVOID STATIC IGNITION HAZARD.  
KEEP CONTAINERS CLOSED AND AWAY FROM HEAT/IGNITION.

Other Precautions:PROTECT CONTAINERS FROM PHYSICAL DAMAGE. USE  
NON-SPARKING TOOLS AND EXPLOSION-PROOF EQUIPMENT. PREVENT STATIC  
ELECTRIC SPARKS. NO SMOKING IN AREAS OF USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED  
RESPIRATOR OR

SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:EXPLOSION-PROOF MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE  
EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY  
SHOWER.

Work Hygienic Practices:DO NOT WEAR OIL CONTAMINATED CLOTHING. DO NOT  
PUT OILY RAGS INTO POCKETS. WASH AFTER HANDLING AND BEFORE EATING.

Supplemental Safety and Heal

th

NONE.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:360F,182C

Melt/Freeze Pt:M.P/F.P Text:-4F,-20C

Vapor Pres:NEGLIGIBLE

Vapor Density:>1

Spec Gravity:0.84

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, VISCOUS AND YELLOW LIQUID. MILD HYDROCARBON  
ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT,

OPEN FLAMES AND OTHER SOURCES  
OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,  
INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.  
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL  
REGULATIONS. MAXIMIZE PRODUCT RECOVERY FOR RESUSE OR RECYCLING.

Disclaimer (provided with this information by the compiling agencies):

This i

nformation is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.