

THE EPOXYLITE CORPORATION -- EPOXYLITE # R2 -- 5970-00-414-7137

===== Product Identification =====

Product ID:EPOXYLITE # R2

MSDS Date:07/01/1990

FSC:5970

NIIN:00-414-7137

MSDS Number: BMZVH

=== Responsible Party ===

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Info Phone Num:714-951-3231

Emergency Phone Num:714-951-3231/80

0-424-9300(CHEMTREC)

Preparer's Name:REBECCA TIMMINS

CAGE:HO289

=== Contractor Identification ===

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231

CAGE:11147

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231

CAGE:HO289

===== Composition/Information on Ingredients =====

Ingred Name:DIGLYCIDYL ETHER OF

BISPHENOL A  
CAS:25085-99-8  
Fraction by Wt: 95-100%  
Other REC Limits: NONE STATED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SKIN/EYE:IRRITATION. INHALATION:NO  
EFFECTS. INGESTION:LOW TOXICITY. CHRONIC:SKIN SENSITIZATION.  
Effects of Overexposure:EYES:MINOR TRANSIENT IRRITATION.  
SKIN:IRRITATION/RASHES.  
Medical Cond Aggravate  
d by Exposure:INDIVIDUALS WITH A HISTORY OF SKIN  
DISEASES MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:YES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.SEE DOCTOR.  
SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES. WASH WITH SOAP AND  
WATER.SEE DOCTOR. INHALATION: REMOVE VICTIM TO FRESH AIR.  
INGESTION:GIVE LARG E QUANTITIES OF WATER OR MILK IF CONSCIOUS.  
INDUCE VOMIT. SEE DOCTOR IMMEDIATELY. NOTHING BY MOUTH I  
F  
UNCONSCIOUS.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:485F,252C  
Extinguishing Media:ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER  
FOG.  
Fire Fighting Procedures:WEAR SCBA WITH A FULL FACE PIECE OPERATED IN  
PRESSURE-DEMAND MODE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS AND TO DISPERSE UNIGNITED VAPORS.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN ABSORBENT MATERIAL OR SCRAPE UP AND  
PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP AWAY  
FROM OPEN FLAMES AND HIGH TEMPERATURES.  
Other Precautions:AVOID EYES AND SKIN CONTACT. AVOID BREATHING VAPORS  
OR HEATED MATERIAL.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:

NONE NORMALLY NEEDED.

Ventilation:GOOD ROOM VENTILATION USUALLY ADEQUATE FOR MOST OPERATIONS.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:WORK CLOTHING COVERING ARMS AND LEGS TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health  
NONE.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Density:>1

Spec Grav

ity:1.2

Solubility in Water:INSOLUBLE.

Appearance and Odor:WATER WHITE TO YELLOW AMBER LIQUID, LOW ODOR.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND BASES.STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid:HEAT

Hazardous Decomposition Products:DURING COMBUSTION MAY FORM CARBON MONOXIDE, ALDEHYDES AND ACIDS.

Conditions to Avoid Polymerization:WILL NOT POLYMERIZE BY

ITSELF.ALIPHATIC AMINES WILL CAUSE IRREVERSIBLE POLYMERIZATION WITH CONSIDERABLE HEAT BUILD UP.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever

r,  
expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.